Sample No: VCP350686

Oil Type: AW HYDRAULIC OIL ISO 46

Job No: 3762 STANLEY

ZAMPI F II	NFORMATION			
	NI ORPIA I ION		 <u> </u>	<u>.</u>
Sample Number		VCP350686	 	
Sample Date		06 Dec 2023	 	
Machine Hours		8090	 	
Oil Hours		0	 	
Oil Changed		N/A	 	
Sample Status		NORMAL	 	
OIL CONDI	TION			
Visc @ 40°C	cSt	42.4	 	
Acid Number (AN)	mg KOH/g	■ 0.43	 	
CONTAMIN	NATION			
_				
Water	%	NEG	 	
Particles >4µm		1349	 	
Particles >6µm		197	 	
Particles >14µm		12	 	
ISO 4406:1999 (c)		18/15/11	 	
Silicon	ppm	6	 	
Sodium	ppm	4	 	
Potassium	ppm	0	 	
WEAR ME	TALS			
Iron	ppm	5	 	
Copper	ppm	7	 	
Lead	ppm	1	 	
Tin	ppm	■ 0	 	
Aluminum	ppm	■ 3	 	
Chromium	ppm		 	
Molybdenum	ppm	0	 	
Nickel	ppm	■0	 	
Titanium	ppm	<1	 	
Silver	ppm	0	 	
Manganese	ppm	= <1	 	
Vanadium	ppm	0	 	
	le le	-		
ADDITIVE	5			
Calcium	ppm	71	 	
Magnesium	ppm	2	 	
Zinc	ppm	439	 	
Phosphorus	ppm	363	 	
Barium	ppm	0	 	
Boron		0	 	
DOIOII	ppm		 	

MCCLUNG-LOGAN EQUIPMENT CO - RICHMOND

1345 MOUNTAIN ROAD GLEN ALLEN, VA US 23060

Contact: KYLE RATLIFFE
KRATLIFFE@MCCLUNG-LOGAN.COM

F: (804)266-1611

Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) AW HYDRAULIC OIL ISO 46. Please confirm.

All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO8882Unique No:10780272Signed:Wes DavisReport Date:12 Dec 2023



CONSTRUCTION EQUIPMENT





GRAPHS

