

## **CONSTRUCTION EQUIPMENT**

3400 SENNEBOGEN 835 835.0.3285 - HYDRAULIC SYSTEM

Sample No: VCP433392
Oil Type: NOT GIVEN
Job No: 433400

VOLVO						
	NFORMATION					
Sample Number		VCP433392				
Sample Date		08 Dec 2023				
Machine Hours		216				
Oil Hours		0				
Oil Changed		N/A				
Sample Status		ATTENTION				
OIL CONDITION						
Visc @ 40°C	cSt	<b>41.9</b>				
Acid Number (AN)		■ 1.34				
CONTAMINATION						

Water       %       NEG            Particles >4µm       ^ 7489            Particles >6µm       1070            Particles >14µm       38            ISO 4406:1999 (c)       20/17/12            Silicon       ppm       2            Sodium       ppm       1	CONTA	AMINATION			
Particles >6μm         1070              Particles >14μm         38              ISO 4406:1999 (c)         20/17/12              Silicon         ppm         2              Sodium         ppm         1	Water	%	NEG	 	
Particles > 14µm         38              ISO 4406:1999 (c)         20/17/12              Silicon         ppm         2              Sodium         ppm         1	Particles >4µm		<b>^</b> 7489	 	
ISO 4406:1999 (c)     20/17/12          Silicon     ppm     2          Sodium     ppm     1	Particles >6µm		<b>1070</b>	 	
Silicon         ppm         2               Sodium         ppm         1	Particles > 14µm	า	<b>■38</b>	 	
Sodium ppm <b>1</b>	ISO 4406:1999 (	(c)	20/17/12	 	
	Silicon	ppm	<b>■2</b>	 	
	Sodium	ppm	<b>1</b>	 	
Potassium ppm ——	Potassium	ppm	<b>■</b> 0	 	

WEAR	METALS			
Iron	ppm	<b>1</b>	 	
Copper	ppm	<b>■</b> <1	 	
Lead	ppm	<b>0</b>	 	
Tin	ppm	<b>■</b> 0	 	
Aluminum	ppm	<b>0</b>	 	
Chromium	ppm	<b>■</b> 0	 	
Molybdenum	ppm	0	 	
Nickel	ppm	<b>■</b> 0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	0	 	
Vanadium	ppm	0	 	

ADDITI	VES			
Calcium	ppm	1270	 	
Magnesium	ppm	0	 	
Zinc	ppm	699	 	
Phosphorus	ppm	617	 	
Barium	ppm	0	 	
Boron	ppm	0	 	



ALTA EQUIPMENT CO - ORLAND PARK
5000 INDUSTRIAL HWY
GARY, IN
US 46406
Contact: DAVE ENG
DAVE.ENG@ALTG.COM
T: (312)350-2560
F:

## Diagnosis

We recommend you service the filters on this component. Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample. All component wear rates are normal. There is a light amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO8885Unique No:10792947Signed:Wes DavisReport Date:19 Dec 2023



## **CONSTRUCTION EQUIPMENT**





## GRAPHS

