

# CONSTRUCTION EQUIPMENT VOLVO L30G 3224032 - HYDRAULIC SYSTEM



Sample No: VCP0008157

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

SAMPLE II	NFORMATION			
Sample Number		VCP0008157	 	
Sample Date		17 Jan 2024	 	
Machine Hours		0	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		ABNORMAL	 	
VOLVO	TION			
OIL CONDI				
Visc @ 40°C	cSt	<b>47.8</b>	 	
Acid Number (AN)	mg KOH/g	<b>0.43</b>	 	
CONTAMIN	NATION			
_	-	NEC		
Water	%	NEG	 	
Particles >4µm Particles >6µm		▲ 12799 ▲ 3973	 	
Particles > 14µm		▲ 321		
ISO 4406:1999 (c)		21/19/16	 	
Silicon	ppm	<b>6</b>	 	
Sodium	ppm	<b>■</b> <1	 	
Potassium	ppm	<b>0</b>	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	<b>7</b>	 	
Copper	ppm	■3	 	
Lead	ppm	■0	 	
Tin	ppm	O	 	
Aluminum	ppm	<b> </b> <1	 	
Chromium	ppm	<b>■</b> <1	 	
Molybdenum	ppm	<b>5</b>	 	
Nickel	ppm	<b>0</b>	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	<b></b>	 	
	ppm	0	 	
ADDITIVE	2			
Calcium	ppm	■372	 	
Magnesium	ppm	53	 	
Zinc	ppm	<b>460</b>	 	
Phosphorus	ppm	■ 384	 	
Barium	ppm	■0	 	
Boron	ppm	0	 	
DOTOIT	ppiii			



### **ALTA EQUIPMENT COMPANY**

8750 PHILIPS HWY
JACKSONVILLE, FL
US 32256
Contact: SHAWN NORTHCRAFT
shawn.northcraft@altg.com
T: (904)737-6000
F: (904)737-1260

## Diagnosis

The filter change at the time of sampling has been noted. We recommend an early resample to monitor this condition. All component wear rates are normal. There is a moderate amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

 Depot:
 VOLVO0092

 Unique No:
 10836924

 Signed:
 Wes Davis

 Report Date:
 23 Jan 2024

Submitted By: TECHNICIAN ACCOUNT



# **CONSTRUCTION EQUIPMENT**





#### GRAPHS

