



# CONSTRUCTION EQUIPMENT

## SW28495 STAKER VOLVO L220H 002575 - HYDRAULIC SYSTEM



**Sample No:** VCP435866  
**Oil Type:** VOLVO SUPER HYDRAULIC OIL 46  
**Job No:** SW28495 STAKER



### SAMPLE INFORMATION

Sample Number	VCP435866	---	---	---
Sample Date	19 Jan 2024	---	---	---
Machine Hours	17567	---	---	---
Oil Hours	0	---	---	---
Oil Changed	N/A	---	---	---
Sample Status	SEVERE	---	---	---

**ARNOLD MACHINERY COMPANY**  
 2975 WEST 2100 SOUTH  
 SALT LAKE CITY, UT  
 US 84119  
 Contact: TONY PAYAN  
 tpayan@arnoldmachinery.com  
 T: (801)972-4000  
 F: (801)975-9434



### OIL CONDITION

Visc @ 40°C	cSt	█ 44.6	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.27	---	---	---



### CONTAMINATION

Water	%	NEG	---	---	---
Particles >4µm		● 54377	---	---	---
Particles >6µm		● 13681	---	---	---
Particles >14µm		▲ 916	---	---	---
ISO 4406:1999 (c)		23/21/17	---	---	---
Silicon	ppm	█ 4	---	---	---
Sodium	ppm	█ 0	---	---	---
Potassium	ppm	█ 4	---	---	---

### Diagnosis

We advise that you check all areas where contaminants can enter the system. We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid. The air breather requires service. If unrated, we recommend that you replace with a suitable micron rated and/or desiccant air breather. If rated, we recommend that you service/replace the breather. Resample in 30-45 days to monitor this situation. All component wear rates are normal. There is a high amount of particulates (2 to 100 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.



### WEAR METALS

Iron	ppm	█ 3	---	---	---
Copper	ppm	█ <1	---	---	---
Lead	ppm	█ 0	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 2	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 1	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	0	---	---	---



### ADDITIVES

Calcium	ppm	█ 138	---	---	---
Magnesium	ppm	█ 16	---	---	---
Zinc	ppm	█ 429	---	---	---
Phosphorus	ppm	█ 338	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 2	---	---	---

**Depot:** VOLVO8770  
**Unique No:** 10848902  
**Signed:** Wes Davis  
**Report Date:** 29 Jan 2024




# CONSTRUCTION EQUIPMENT




## VOLVO GRAPHS

### Ferrous Alloys




### Non-ferrous Metals



### Viscosity @ 40°C



### Particle Count



### Acid Number

