

# CONSTRUCTION EQUIPMENT 661692 ALTA RENTS VOLVO A25G 752923 - HYDRAULIC SYSTEM



Particles > 14µm

Silicon

Sodium

Potassium

ISO 4406:1999 (c)

ppm

ppm

ppm

Oil Type: **VOLVO SUPER HYDRAULIC OIL 46** 

**55** 

**2** 

**- < 1 2** 

18/16/13

Job No: 661692 ALTA RENTS

| SAMPLE INFORMATION |          |              |  |  |  |  |  |  |
|--------------------|----------|--------------|--|--|--|--|--|--|
| Sample Number      | -        | VCP437966    |  |  |  |  |  |  |
| Sample Date        |          | 29 Jan 2024  |  |  |  |  |  |  |
| Machine Hours      |          | 574          |  |  |  |  |  |  |
| Oil Hours          |          | 0            |  |  |  |  |  |  |
| Oil Changed        |          | Not Changd   |  |  |  |  |  |  |
| Sample Status      |          | NORMAL       |  |  |  |  |  |  |
|                    |          |              |  |  |  |  |  |  |
| OIL CONDITION      |          |              |  |  |  |  |  |  |
| Visc @ 40°C        | cSt      | <b>43.9</b>  |  |  |  |  |  |  |
| Acid Number (AN)   | mg KOH/g | ■ 0.43       |  |  |  |  |  |  |
|                    |          |              |  |  |  |  |  |  |
| CONTAMINATION      |          |              |  |  |  |  |  |  |
| Water              | %        | NEG          |  |  |  |  |  |  |
| Particles >4µm     |          | 1773         |  |  |  |  |  |  |
| Particles >6µm     |          | <b>■ 527</b> |  |  |  |  |  |  |

| WEAR METALS |     |               |  |  |  |  |  |
|-------------|-----|---------------|--|--|--|--|--|
| _           |     |               |  |  |  |  |  |
| Iron        | ppm | <b>■</b> <1   |  |  |  |  |  |
| Copper      | ppm | <b>2</b>      |  |  |  |  |  |
| Lead        | ppm | <b>■&lt;1</b> |  |  |  |  |  |
| Tin         | ppm | <b>■&lt;1</b> |  |  |  |  |  |
| Aluminum    | ppm | <b>0</b>      |  |  |  |  |  |
| Chromium    | ppm | ■0            |  |  |  |  |  |
| Molybdenum  | ppm | ■0            |  |  |  |  |  |
| Nickel      | ppm | ■0            |  |  |  |  |  |
| Titanium    | ppm | 0             |  |  |  |  |  |
| Silver      | ppm | 0             |  |  |  |  |  |
| Manganese   | ppm | <b>0</b>      |  |  |  |  |  |
| Vanadium    | ppm | 0             |  |  |  |  |  |
|             |     |               |  |  |  |  |  |

| ADDITIVES  |     |            |  |  |  |  |  |
|------------|-----|------------|--|--|--|--|--|
| Calcium    | ppm | <b>135</b> |  |  |  |  |  |
| Magnesium  | ppm | ■0         |  |  |  |  |  |
| Zinc       | ppm | <b>444</b> |  |  |  |  |  |
| Phosphorus | ppm | ■343       |  |  |  |  |  |
| Barium     | ppm | <b>0</b>   |  |  |  |  |  |
| Boron      | ppm | <b>2</b>   |  |  |  |  |  |



### ALTA EQUIPMENT/FLAGLER EQUIPMENT LLC

9601 BOGGY CREEK RD ORLANDO, FL US 32824 Contact: Robert LaPlante robert.laplante@altg.com T: (407)508-9736 F: (407)659-8720

#### Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0096 **Unique No:** 10860317 Signed: Wes Davis Report Date: 05 Feb 2024



## **CONSTRUCTION EQUIPMENT**





#### GRAPHS

