

CONSTRUCTION EQUIPMENT VOLVO A45G 352851 - HYDRAULIC SYSTEM



Sample No: VCP408505

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO				
SAMPLE II	NFORMATION			
Sample Number	-	VCP408505	 	
Sample Date		02 Oct 2023	 	
Machine Hours		0	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
VOLVO	TION			
OIL CONDI				
Visc @ 40°C	cSt	43.3	 	
Acid Number (AN)	mg KOH/g	■ 0.31	 	
VOLVO				
CONTAMI	NATION			
Water	%	NEG	 	
Particles >4µm	,0	7391	 	
Particles > 6µm		1241	 	
Particles > 14µm		73	 	
ISO 4406:1999 (c)		20/17/13	 	
Silicon	ppm	9	 	
Sodium	ppm	2	 	
Potassium	ppm	0	 	
	ρρ			
VOLVO				
WEAR ME	IALS			
Iron	ppm	6	 	
Copper	ppm	2	 	
Lead	ppm	■ 3	 	
Tin	ppm	■0	 	
Aluminum	ppm	■ <1	 	
Chromium	ppm	■ <1	 	
Molybdenum	ppm	■0	 	
Nickel	ppm	■0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	■0	 	
Vanadium	ppm	0	 	
VOLVO				
ADDITIVE:	<u></u>			
Calcium	ppm	9 1	 	
Magnesium	ppm	4	 	
Zinc	ppm	433	 	
Phosphorus	ppm	329	 	
Barium	ppm	0	 	
Boron	ppm	■ <1	 	
501011	PPIII			



COWIN EQUIPMENT COMPANY

P.O. DRAWER 9367 MONTGOMERY, AL US 36108 Contact: BRYAN DICKS bdicks@cowin.com T: (334)262-6642 F: (334)269-1514

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

 Depot:
 VOLVO8532

 Unique No:
 10872174

 Signed:
 Wes Davis

 Report Date:
 12 Feb 2024



CONSTRUCTION EQUIPMENT





GRAPHS

