

CONSTRUCTION EQUIPMENT VOLVO L260 001349 - HYDRAULIC SYSTEM



Sample No: VCP430400

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

SAMPLE IN	IFORMATION			
Sample Number		VCP430400		
Sample Date		01 Dec 2023		
Machine Hours		0		
Oil Hours		0		
Oil Changed		Changed		
Sample Status		ATTENTION		
Sample Status		ATTENTION		
VOLVO				
OIL CONDIT	TION			
Visc @ 40°C	cSt	43.6		
Acid Number (AN)	mg KOH/g	■ 0.18		
CONTAMIN	IATION			
CONTAMIN			- <u>.</u>	
Water	%	NEG		
Particles >4µm		▲ 5524		
Particles >6µm		■ 794		
Particles >14μm		■36		
ISO 4406:1999 (c)		20/17/12		
Silicon	ppm	■2		
Sodium	ppm	■ <1		
Potassium	ppm	■ 0		
WEAR MET	ZIAT			
Iron		■ 3		
Copper	ppm	2		
Lead	ppm	0		
Tin	ppm	■0		
Aluminum	ppm	■0		
Chromium	ppm	■0		
	ppm	■0		
Molybdenum Nickel	ppm	■0		
Titanium	ppm	0		
Silver	ppm	0		
	ppm			
		_		
Variaulum	ррпп	U		
VOLVO				
ADDITIVES:				
Calcium	ppm	43		
_				
•		■0		
Barium	ppm			
Calcium Magnesium Zinc Phosphorus	ppm ppm ppm	□ 0 □ 396 □ 305		

COWIN EQUIPMENT COMPANY

P.O. DRAWER 9367 MONTGOMERY, AL US 36108 Contact: BRYAN DICKS bdicks@cowin.com T: (334)262-6642 F: (334)269-1514

Diagnosis

The filter change at the time of sampling has been noted. Resample at the next service interval to monitor. All component wear rates are normal. There is a light amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

 Depot:
 VOLVO8532

 Unique No:
 10872177

 Signed:
 Wes Davis

 Report Date:
 12 Feb 2024



CONSTRUCTION EQUIPMENT





GRAPHS

