

CONSTRUCTION EQUIPMENT

661157 SENNEBOGEN 835 835.5.880 - HYDRAULIC SYSTEM

Sample No: VCP445982

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: 661157



LUNIA	MINATIUN			
Water	%	NEG	 	
Particles >4µm		<u></u> 53861	 	
Particles >6µm		△ 5053	 	
Particles > 14µm		122	 	
ISO 4406:1999 (c)		23/20/14	 	
Silicon	ppm	■<1	 	
Sodium	ppm	0	 	
Potassium	ppm	-<1	 	

VOLVO				
WEAR N	AFTAI C			
WLAIL	IL I VL7			
Iron	ppm	■3	 	
Copper	ppm	2	 	
Lead	ppm	-< 1	 	
Tin	ppm	■ <1	 	
Aluminum	ppm	-<1	 	
Chromium	ppm	■ <1	 	
Molybdenum	ppm	< 1	 	
Nickel	ppm	■ <1	 	
Titanium	ppm	<1	 	
Silver	ppm	<1	 	
Manganese	ppm	-< 1	 	
Vanadium	ppm	0	 	

ADDITI	Zavi			
Calcium	ppm	6	 	
Magnesium	ppm	■3	 	
Zinc	ppm	■317	 	
Phosphorus	ppm	■237	 	
Barium	ppm	5	 	
Boron	ppm	■0	 	



FERROUS PROCESSING AND TRADING

3400 E LAFAYETTE DETROIT, MI US 48207 Contact: KEITH HALL keith.hall@fpt1.com T:

Diagnosis

No corrective action is recommended at this time. The filter change at the time of sampling has been noted. Resample at the next service interval to monitor.All component wear rates are normal. There is a high amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:FERDETUnique No:10896528Signed:Don BaldridgeReport Date:26 Feb 2024

Contact/Location: KEITH HALL - FERDET



CONSTRUCTION EQUIPMENT





GRAPHS

