

## **CONSTRUCTION EQUIPMENT**

661157 SENNEBOGEN 835 835.5.880 - REAR LEFT FINAL DRIVE

Sample No: VCP445984

Oil Type: VOLVO PREMIUM GEAR OIL 80W-90 GL-5

**Job No:** 661157

SAMPLE	E INFORMATION			
Sample Number	<del>-</del>	VCP445984	 	
Sample Date		12 Feb 2024	 	
Machine Hours		65157	 	
Oil Hours		2000	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
VOLVO	DITION			
OIL CON	<u></u>			
Visc @ 40°C	cSt	<b>145</b>	 	
VOLVO				
CONTAN	MINATION			
Water	%	NEG	 	
Silicon		■<1		
Sodium	ppm	<b>■1</b>	 	
Potassium	ppm	<b>0</b>	 	
Fotassium	ppm	<b>0</b>	 	
VOLVO				
WEAR N	METALS			
Iron	ppm	<b>24</b>	 	
Copper	ppm	<b>6</b>	 	
Lead	ppm	<b>5</b>	 	
Tin	ppm	<b>■&lt;1</b>	 	
Aluminum	ppm	<b>■</b> 0	 	
Chromium	ppm	<b>■</b> 0	 	
Molybdenum	ppm	<b>0</b>	 	
Nickel	ppm	<b>■</b> 0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	<b>■</b> <1	 	
Vanadium	ppm	0	 	
ADDITIV	VES			
Calcium	ppm	<b>12</b>	 	
Magnesium	ppm	■0	 	
Zinc	ppm	■0	 	
Phosphorus	ppm	<b>446</b>	 	
		_		



#### FERROUS PROCESSING AND TRADING

3400 E LAFAYETTE DETROIT, MI US 48207 Contact: KEITH HALL keith.hall@fpt1.com T:

F:

### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:FERDETUnique No:10896953Signed:Don BaldridgeReport Date:26 Feb 2024

Contact/Location: KEITH HALL - FERDET

**■**0

**10** 

ppm

ppm

Barium

Boron



# **CONSTRUCTION EQUIPMENT**





#### GRAPH

