

# CONSTRUCTION EQUIPMENT VOLVO L 180H 5717 - HYDRAULIC SYSTEM



Sample No: VCP437727

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO					
SAMPLE IN	NFORMATION				
Sample Number		VCP437727			
Sample Date		24 Feb 2024			
Machine Hours		2234			
Oil Hours		0			
Oil Changed		Not Changd			
Sample Status		ABNORMAL			
VOLVO					
OIL CONDITION					
Visc @ 40°C	cSt	<b>41.8</b>			
Acid Number (AN)		■ 0.36			
CONTAMINATION					
_			_		
Water	%	NEG			
Particles >4µm		16765			
Particles > 6µm		<b>▲</b> 4014			
Particles > 14µm		▲ 384			
ISO 4406:1999 (c) Silicon	nnm	21/19/16 <a></a> < 1			
Sodium	ppm	■0			
Potassium	ppm	■0			
Totassam	ррпп				
VOLVO					
WEAR ME	IAL2				
Iron	ppm	■0			
Copper	ppm	<b>1</b>			
Lead	ppm	<b>-</b> <1			
Tin	ppm	■0			
Aluminum	ppm	<b>0</b>			
Chromium	ppm	<b>■</b> <1			
Molybdenum Nickel	ppm	<b>□</b> 0			
Titanium	ppm	0			
Silver	ppm	0			
Manganese	ppm	<b>■&lt;1</b>			
Vanadium	ppm	0			
	1-1-				
ADDITIVES					
Calcium	ppm	<b>52</b>			
Magnesium	ppm	<b>1</b>			
Zinc	ppm	<b>413</b>			
Phosphorus	ppm	<b>297</b>			
Barium	ppm	■0			
Boron	ppm	■0			



### **ALTA EQUIPMENT COMPANY**

5151 DR MARTIN LUTHER KING BLVD FORT MYERS, FL US 33905 Contact: TODD LARK tlark@altaequipfl.com T:

F: (239)481-3302

## Diagnosis

We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid. We recommend an early resample to monitor this condition. All component wear rates are normal. There is a moderate amount of particulates (2 to 100 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

 Depot:
 VOLVO0090

 Unique No:
 10899780

 Signed:
 Wes Davis

 Report Date:
 28 Feb 2024



# **CONSTRUCTION EQUIPMENT**





#### GRAPHS

