



# CONSTRUCTION EQUIPMENT

SPM660156 SENNEBOGEN 835ME 835.0.3070 - REAR LEFT FINAL DRIVE



**Sample No:** VCP423344  
**Oil Type:** GEAR OIL SAE 80W90  
**Job No:** SPM660156



## SAMPLE INFORMATION

Sample Number	<b>VCP423344</b>	VCP411406	VCP402114	---
Sample Date	<b>11 Jan 2024</b>	11 Aug 2023	20 Mar 2023	---
Machine Hours	<b>3166</b>	2080	1076	---
Oil Hours	<b>0</b>	0	0	---
Oil Changed	<b>Changed</b>	Changed	Changed	---
Sample Status	<b>NORMAL</b>	NORMAL	NORMAL	---

### BELSON STEEL

1685 N STATE RTE 50  
BOURBONNAIS, IL  
US 60914  
Contact: M. POZAN  
mpozan@belsonsteel.com  
T: (815)932-7416  
F:



## OIL CONDITION

Visc @ 40°C	cSt	<b>184</b>	140	184	---
-------------	-----	------------	-----	-----	-----



## CONTAMINATION

Water	%	<b>NEG</b>	NEG	NEG	---
Silicon	ppm	<b>11</b>	3	6	---
Sodium	ppm	<b>1</b>	1	3	---
Potassium	ppm	<b>&lt;1</b>	<1	<1	---

### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.



## WEAR METALS

Iron	ppm	<b>41</b>	60	39	---
Copper	ppm	<b>13</b>	11	10	---
Lead	ppm	<b>0</b>	0	0	---
Tin	ppm	<b>0</b>	<1	0	---
Aluminum	ppm	<b>&lt;1</b>	0	0	---
Chromium	ppm	<b>0</b>	<1	<1	---
Molybdenum	ppm	<b>1</b>	<1	<1	---
Nickel	ppm	<b>0</b>	0	<1	---
Titanium	ppm	<b>0</b>	<1	0	---
Silver	ppm	<b>0</b>	0	0	---
Manganese	ppm	<b>&lt;1</b>	1	1	---
Vanadium	ppm	<b>0</b>	0	0	---



## ADDITIVES

Calcium	ppm	<b>1991</b>	14	13	---
Magnesium	ppm	<b>24</b>	0	1	---
Zinc	ppm	<b>916</b>	16	12	---
Phosphorus	ppm	<b>847</b>	783	1238	---
Barium	ppm	<b>4</b>	33	336	---
Boron	ppm	<b>7</b>	22	1	---

**Depot:** BELBOU  
**Unique No:** 10900228  
**Signed:** Jonathan Hester  
**Report Date:** 29 Feb 2024



# CONSTRUCTION EQUIPMENT



## GRAPHS

