

# CONSTRUCTION EQUIPMENT VOLVO A40G 342660 - BOGIE/CENTER AXLE



Sample No: VCP0007792

Oil Type: VOLVO PREMIUM GEAR OIL 85W-140 GL-5

Job No:

| VOLVO         | E INFORMATION | J             |             |      |
|---------------|---------------|---------------|-------------|------|
|               | LINFURMATIU   |               |             |      |
| Sample Number |               | VCP0007792    | VCP417368   | <br> |
| Sample Date   |               | 29 Mar 2024   | 16 Aug 2023 | <br> |
| Machine Hours |               | 5381          | 4876        | <br> |
| Oil Hours     |               | 5381          | 1000        | <br> |
| Oil Changed   |               | N/A           | Not Changd  | <br> |
| Sample Status |               | ATTENTION     | ATTENTION   | <br> |
| VOLVO         |               |               |             |      |
| OIL CON       | DITION        |               |             |      |
| Visc @ 40°C   | cSt           | 63.0          | 70.3        | <br> |
|               | CSt           | 05.0          | 70.5        |      |
| VOLVO         |               |               |             |      |
| CONTAI        | MINATION      |               |             |      |
| Water         | %             | NEG           | NEG         | <br> |
| Silicon       | ppm           | <b>6</b>      | <b>7</b>    | <br> |
| Sodium        | ppm           | <b>2</b>      | <b>2</b>    | <br> |
| Potassium     | ppm           | <b>■</b> 0    | <b>5</b>    | <br> |
|               |               |               |             |      |
| VOLVO         | AFTALC        |               |             |      |
| WEAR I        | METAL2        |               |             |      |
| Iron          | ppm           | <b>169</b>    | <b>133</b>  | <br> |
| Copper        | ppm           | <b>■&lt;1</b> | <b>5</b>    | <br> |
| Lead          | ppm           | ■0            | <b>0</b>    | <br> |
| Tin           | ppm           | <b>■&lt;1</b> | 0           | <br> |
| Aluminum      | ppm           | <b>■&lt;1</b> | <b></b> <1  | <br> |
| Chromium      | ppm           | <b>■</b> 3    | <b>3</b>    | <br> |
| Molybdenum    | ppm           | <b>66</b>     | 62          | <br> |
| Nickel        | ppm           | <b>■&lt;1</b> | <b>-</b> <1 | <br> |
| Titanium      | ppm           | 0             | 0           | <br> |
| Silver        | ppm           | 0             | 0           | <br> |
| Manganese     | ppm           | <b>7</b>      | <b>4</b>    | <br> |
| Vanadium      | ppm           | 0             | 0           | <br> |
|               |               |               |             |      |
| ADDITIV       | 71/           |               |             |      |
| _             |               | 4000          | 0.440:      |      |
| Calcium       | ppm           | 1090          | 1104        | <br> |
| Magnesium<br> | ppm           | 790           | 832         | <br> |
| Zinc          | ppm           | 0 1097        | 1137        | <br> |
| Phosphorus    | ppm           | <b>1219</b>   | 1168        | <br> |
| Barium        | ppm           | <b>0</b>      | 0           | <br> |
| Boron         | ppm           | <b>110</b>    | <b>148</b>  | <br> |



### **ALTA EQUIPMENT COMPANY**

8750 PHILIPS HWY
JACKSONVILLE, FL
US 32256
Contact: SHAWN NORTHCRAFT
shawn.northcraft@altg.com
T: (904)737-6000
F: (904)737-1260

## Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The oil viscosity is lower than normal. This plus the additive levels indicates the addition of a different brand, or type of oil. Confirm oil type.

 Depot:
 VOLVO0092

 Unique No:
 10962588

 Signed:
 Sean Felton

 Report Date:
 05 Apr 2024

Submitted By: TECHNICIAN ACCOUNT



# **CONSTRUCTION EQUIPMENT**





#### GRAPH

