

## CONSTRUCTION EQUIPMENT SWA511448 VOLVO A40G 340612 - DIESEL ENGINE



Sample No: VCP423832

Oil Type: DIESEL ENGINE OIL SAE 40

**Job No:** SWA511448

| CAMDIFI          | NFORMATION  |                    |      |   |
|------------------|-------------|--------------------|------|---|
|                  | MI UNMATION | VCD 422022         |      | _ |
| Sample Number    |             | VCP423832          | <br> |   |
| Sample Date      |             | 09 Apr 2024        | <br> |   |
| Machine Hours    |             | 11337              | <br> |   |
| Oil Hours        |             | 0                  | <br> |   |
| Oil Changed      |             | N/A                | <br> |   |
| Sample Status    |             | NORMAL             | <br> |   |
| VOLVO            |             |                    |      |   |
| OIL CONDI        | TION        |                    |      |   |
| Visc @ 100°C     | cSt         | <b>12.9</b>        | <br> |   |
|                  |             | ■ 6.4              | <br> |   |
| Base Number (BN) |             | <b>■</b> 6.4<br>54 |      |   |
| Oxidation (PA)   | %           | 54                 | <br> |   |
| VOLVO            |             |                    |      |   |
| CONTAMIN         | NATION      |                    |      |   |
| Water            | %           | NEG                | <br> |   |
| Soot %           | %           | ■0.2               | <br> |   |
| Nitration (PA)   | %           | 76                 | <br> |   |
| Sulfation (PA)   | %           | 58                 | <br> |   |
| Glycol           | %           | NEG                | <br> |   |
| Fuel             | %           | <1.0               | <br> |   |
| Silicon          |             | <b>5</b>           | <br> |   |
| Sodium           | ppm         | <b>2</b>           | <br> |   |
|                  | ppm         | _                  |      |   |
| Potassium        | ppm         | <b>■</b> <1        | <br> |   |
| VOLVO            |             |                    |      |   |
| WEAR ME          | TALS        |                    |      |   |
| Iron             | ppm         | <b>11</b>          | <br> |   |
| Copper           | ppm         | <b>■</b> <1        | <br> |   |
| Lead             | ppm         | ■4                 | <br> |   |
| Tin              | ppm         | ■0                 | <br> |   |
| Aluminum         | ppm         | <b>2</b>           | <br> |   |
| Chromium         | ppm         | <b>■</b> 0         | <br> |   |
| Molybdenum       | ppm         | <b>21</b>          | <br> |   |
| Nickel           | ppm         | <b>0</b>           | <br> |   |
| Titanium         | ppm         | <b>0</b>           | <br> |   |
| Silver           | ppm         | <b>■</b> 0         | <br> |   |
| Manganese        |             | ■0                 | <br> |   |
| Vanadium         | ppm         | 0                  | <br> |   |
| variauluiri      | ppm         | U                  | <br> |   |
| VOLVO            |             |                    |      |   |
| ADDITIVE:        |             |                    |      |   |
| Calcium          | ppm         | <b>2249</b>        | <br> |   |
|                  | In Internal |                    |      |   |



ALTA EQUIPMENT COMPANY- BYRON CENTER 8840 BYRON COMMERCE DR SW BYRON CENTER, MI US 49315 Contact: MATT BURTON MATT.BURTON@ALTAEQUIPMENT.COM T: (616)345-7040 F: (616)878-7650

## Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) DIESEL ENGINE OIL SAE 40. Please confirm.

All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

Depot:VOLVO0046Unique No:10977085Signed:Wes DavisReport Date:15 Apr 2024

ppm

ppm

ppm

ppm

ppm

**339** 

**1206** 

**1053** 

**0** 

Magnesium

Phosphorus

Zinc

Barium

Boron



## **CONSTRUCTION EQUIPMENT**





