



CONSTRUCTION EQUIPMENT

701219 HERC VOLVO ECR145 315778 - HYDRAULIC SYSTEM



Sample No: VCP447377
Oil Type: VOLVO SUPER HYDRAULIC OIL 46
Job No: 701219 HERC



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
 8418 PALM RIVER ROAD
 TAMPA, FL
 US 33619
 Contact: KENNY HANEY
 khaney@flaglerce.com
 T: (813)630-0077
 F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP447377	---	---	---
Sample Date	16 Apr 2024	---	---	---
Machine Hours	923	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 42.9	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.54	---	---	---



CONTAMINATION

Water	%	NEG	---	---	---
Particles >4µm		█ 11911	---	---	---
Particles >6µm		█ 3783	---	---	---
Particles >14µm		█ 152	---	---	---
ISO 4406:1999 (c)		21/19/14	---	---	---
Silicon	ppm	█ 6	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ 0	---	---	---



WEAR METALS

Iron	ppm	█ <1	---	---	---
Copper	ppm	█ 28	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 0	---	---	---
Chromium	ppm	█ 0	---	---	---
Molybdenum	ppm	█ 0	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	<1	---	---	---



ADDITIVES

Calcium	ppm	█ 76	---	---	---
Magnesium	ppm	█ 1	---	---	---
Zinc	ppm	█ 475	---	---	---
Phosphorus	ppm	█ 364	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 0	---	---	---

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0093
Unique No: 10991256
Signed: Wes Davis
Report Date: 23 Apr 2024




CONSTRUCTION EQUIPMENT




VOLVO GRAPHS

Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

