

CONSTRUCTION EQUIPMENT VOLVO L25H SD11572 - HYDRAULIC SYSTEM



Sample No: VCE166744

Oil Type: **VOLVO SUPER HYDRAULIC OIL 46**

Job No: 12923

VOLVO	INCODMATION			
	INFORMATION			<u>.</u>
Sample Number		VCE166744	 	
Sample Date		23 Apr 2024	 	
Machine Hours		0	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
VOLVO				
OIL CON	DITION			
Visc @ 40°C	cSt	41.8	 	
Acid Number (AN		0.86	 	
Acid Hambel (All	ing Konyg	 0.00		
VOLVO	AINIA TIONI			
LUNIAN	MINATION			
Water	%	NEG	 	
Particles >4µm		12917	 	
Particles >6µm		■980	 	
Particles >14µm		46	 	
ISO 4406:1999 (c)	21/17/13	 	
Silicon	ppm	4	 	
Sodium	ppm		 	
Potassium	ppm	2	 	
WEAR N	METALS			
Iron	ppm	6	 	
Copper	ppm	4	 	
Lead	ppm	2	 	
Tin	ppm	■<1	 	
Aluminum	ppm	2	 	
Chromium	ppm	■<1	 	
Molybdenum	ppm	2	 	
Nickel	ppm	■<1	 	
Titanium	ppm	<1	 	
Silver	ppm	0	 	
Manganese	ppm	■<1	 	
Vanadium	ppm	<1	 	
ADDITIV	/FS			
		5010		
Calcium	ppm	■ 919	 	
Magnesium	ppm	■14	 	
Zinc	ppm	705	 	
Phosphorus	ppm	590	 	



TRANSOURCE TRUCK & EQUIPMENT

901 EAST 60TH STREET NORTH SIOUX FALLS, SD US 57104 Contact: BRAD MAUPIN brad.maupin@transourceusa.com F: (605)336-2248

Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0035 **Unique No:** 11002640 Signed: Don Baldridge Report Date: 30 Apr 2024

Contact/Location: BRAD MAUPIN - VOLVO0035

-<1

4

ppm

ppm

Barium

Boron



CONSTRUCTION EQUIPMENT





GRAPHS

