

CONSTRUCTION EQUIPMENT X18542 IAA VOLVO L90H 625476 - HYDRAULIC SYSTEM

Sample No: VCP443672

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: X18542 IAA

VOLVO SAMPLE	INFORMATION			
	INI UNINATION		 <u>.</u>	_
Sample Number		VCP443672	 	
Sample Date		25 Apr 2024	 	
Machine Hours		3966	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL COND	DITION			
Visc @ 40°C	cSt	42.7	 	
Acid Number (AN		■ 0.28		
Acid Number (AIN) Trig KOn/g	U.2 0	 	
VOLVO				
CONTAM	INATION			
Water	%	NEG	 	
Particles >4µm		1421	 	
Particles >6µm		265	 	
Particles > 14µm		24	 	
ISO 4406:1999 (c)		18/15/12	 	
Silicon	ppm	■ 5	 	
Sodium	ppm	1	 	
Potassium	ppm	0	 	
	ρρ			
VOLVO				
WEAR M	ETALS			
Iron	ppm	7	 	
Copper	ppm	■ 5	 	
Lead	ppm	2	 	
Tin	ppm	■<1	 	
Aluminum	ppm	■ 0	 	
Chromium	ppm	■<1	 	
Molybdenum	ppm	■0	 	
Nickel	ppm	■0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm		 	
Vanadium	ppm	0	 	
VOLVO	rc			
ADDITIV	7			
Calcium	ppm	74	 	
Magnesium	ppm	6	 	



SCOTT EQUIPMENT COMPANY LLC - Jackson

3860 I-55 South JACKSON, MS US 39212

Contact: DWIGHT MCDOUGAL DMCDOUGAL@SCOTTCOMPANIES.COM

T:

F: (601)326-3359

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO8771Unique No:11003472Signed:Wes DavisReport Date:30 Apr 2024

ppm

ppm

ppm

ppm

438

340

0

0

Zinc

Phosphorus

Barium

Boron



CONSTRUCTION EQUIPMENT





GRAPHS

