

Sample No: VCP413092

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: SPM702822 RENTALS

VOLVO	INFORMATION			
	INFURMATION			
Sample Number		VCP413092	 	
Sample Date		25 Apr 2024	 	
Machine Hours		1449	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
VOLVO				
OIL CON	DITION			
Visc @ 40°C	cSt	<b>43.2</b>	 	
Acid Number (AN		0.37	 	
Acid Number (Ar	N) Thig KOn/g	<b>0.5</b> <i>I</i>	 	
VOLVO				
CONTAN	MINATION			
Water	%	NEG	 	
Particles >4µm		3702	 	
Particles >6µm		<b>684</b>	 	
Particles >14µm		■30	 	
ISO 4406:1999 (c)		19/17/12	 	
Silicon	ppm	■0	 	
Sodium	ppm	<b>■ &lt;1</b>	 	
Potassium	ppm	<b>■</b> 0	 	
WEAR N	AFTAI S			
_			 	
Iron	ppm	<b>3</b>		
Copper	ppm	<b>2</b>	 	
Lead	ppm	<b>-</b> <1	 	
Tin	ppm	<b>0</b>	 	
Aluminum	ppm	<b>0</b>	 	
Chromium	ppm	<b></b>	 	
Molybdenum Nickel	ppm	<b>□</b> 1 <b>□</b> 0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
	ppm	<b>0</b>	 	
Manganese Vanadium	ppm	0	 	
variaululli	ppm	U	 	
VOLVO			 	
ADDITIV	/ES			
Calcium	ppm	<b>62</b>	 	
Magnesium	ppm	<b>■</b> 3	 	



## **ALTA EQUIPMENT COMPANY**

5210 REESE ROAD DAVIE, FL US 33314 Contact: N. FACEY nfacey@altaequipfl.com T: (954)581-4744 F: (954)583-0318

## Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO0095Unique No:11004990Signed:Wes DavisReport Date:01 May 2024

ppm

ppm

ppm

ppm

**420** 

**324** 

**0** 

**0** 

Zinc

Barium

Boron

Phosphorus



## **CONSTRUCTION EQUIPMENT**





## GRAPHS

