

CONSTRUCTION EQUIPMENT SWA548445-20 VOLVO L60H 2528 - FRONT AXLE



Sample No: VCP430343

Oil Type: VOLVO WET BRAKE TRANSAXLE OIL

Job No: SWA548445-20

| SAMPLE | INFORMATIO | N | | |
|---------------|---------------|----------------|------|--|
| Sample Number | | VCP430343 | | |
| Sample Date | | 17 May 2024 | | |
| Machine Hours | | 2053 | | |
| Oil Hours | | 2053 | | |
| Oil Changed | | Changed | | |
| Sample Status | | NORMAL | | |
| | | | | |
| VOLVO | DITION | | | |
| OIL CON | | | | |
| Visc @ 40°C | cSt | ■39.9 | | |
| VOLVO | | | | |
| CONTAN | INATION | | | |
| Water | % | NEG | | |
| Silicon | ppm | ■14 | | |
| Sodium | ppm | 9 | | |
| Potassium | ppm | 4 | | |
| rotassium | ррпп | | | |
| VOLVO | | | | |
| WEAR N | TETALS | | | |
| Iron | ppm | 64 | | |
| Copper | ppm | ■ 3 | | |
| Lead | ppm | ■<1 | | |
| Tin | ppm | ■<1 | | |
| Aluminum | ppm | 1 | | |
| Chromium | ppm | 4 | | |
| Molybdenum | ppm | ■ 3 | | |
| Nickel | ppm | ■<1 | | |
| Titanium | ppm | <1 | | |
| Silver | ppm | 1 | | |
| Manganese | ppm | ■8 | | |
| Vanadium | ppm | <1 | | |
| VOLVO | | | | |
| ADDITIV | ZES | | | |
| Calcium | ppm | 4079 | | |
| Magnesium | ppm | ■407 <i>9</i> | | |
| Zinc | ppm | ■ 1715 | | |
| Phosphorus | ppm | 1359 | | |
| Barium | ppm | ■ 1339 ■ <1 | | |
| Boron | ppm | 149 | | |
| DOTOTT | ppm | ■ 143 | | |



ALTA EQUIPMENT

5985 COURT STREET ROAD SYRACUSE, NY US 13206 Contact: JIM STRIGLE JIM.STRIGLE@ALTG.COM T: (315)437-2611 F: (315)434-9471

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

 Depot:
 VOLVO0142

 Unique No:
 11048074

 Signed:
 Wes Davis

 Report Date:
 29 May 2024



CONSTRUCTION EQUIPMENT





