

CONSTRUCTION EQUIPMENT VOLVO A40G 752081 - HYDRAULIC SYSTEM



Sample No: VCP449704

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO				
SAMPLE II	NFORMATION			
Sample Number		VCP449704	 	
Sample Date		23 May 2024	 	
Machine Hours		1342	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
OIL CONDI	TION			
Visc @ 40°C	cSt	43.7	 	
Acid Number (AN)		0.46	 	
Acid Walliber (All V)	mg Romy	<u> </u>		
VOLVO	MATION		 	
CONTAMIN	MATIUN			
Water	%	NEG	 	
Particles >4µm		1599	 	
Particles >6µm		■ 592	 	
Particles >14µm		66	 	
ISO 4406:1999 (c)		18/16/13	 	
Silicon	ppm	■ 4	 	
Sodium	ppm	- <1	 	
Potassium	ppm	2	 	
VOLVO				
WEAR ME	TALS			
Iron	ppm	4	 	
Copper	ppm	<u> </u>	 	
Lead	ppm	2	 	
Tin	ppm	<1	 	
Aluminum	ppm	1	 	
Chromium	ppm		 	
Molybdenum	ppm	0	 	
Nickel	ppm	■ 0	 	
Titanium	ppm	<1	 	
Silver	ppm	<1	 	
Manganese	ppm	■<1	 	
Vanadium	ppm	<1	 	
VOLVO			 	
ADDITIVE:	5			
Calcium	ppm	■85	 	
Magnesium	ppm	1	 	
Zinc	ppm	436	 	
Phosphorus	ppm	■337	 	
Barium	ppm	■0	 	
Boron	ppm	■0	 	
		_		



ALTA EQUIPMENT COMPANY

5151 DR MARTIN LUTHER KING BLVD FORT MYERS, FL US 33905 Contact: TODD LARK tlark@altaequipfl.com

T: . . .

F: (239)481-3302

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO0090Unique No:11056033Signed:Wes DavisReport Date:30 May 2024



CONSTRUCTION EQUIPMENT





GRAPHS

