

# CONSTRUCTION EQUIPMENT VOLVO A25G 742079 - BOGIE/CENTER AXLE



Sample No: VCP362674

Oil Type: VOLVO API GL-5 SAE 75W90

Job No:

Boron

| VOLVO         | INFORMATIO | V             |              |      |
|---------------|------------|---------------|--------------|------|
|               | INFURMATIU |               |              |      |
| Sample Number |            | VCP362674     | VCP358236    | <br> |
| Sample Date   |            | 28 May 2024   | 03 Oct 2022  | <br> |
| Machine Hours |            | 5148          | 4011         | <br> |
| Oil Hours     |            | 1100          | 4011         | <br> |
| Oil Changed   |            | Not Changd    | Changed      | <br> |
| Sample Status |            | NORMAL        | NORMAL       | <br> |
| VOLVO         |            |               |              |      |
| OIL CON       | DITION     |               |              |      |
| visc @ 40°C   | cSt        | <b>51.7</b>   | 60.8         | <br> |
|               |            |               | 00.0         |      |
| VOLVO         |            |               |              |      |
| CONTAN        | MOITAMIN   |               |              |      |
| Water         | %          | NEG           | NEG          | <br> |
| Silicon       | ppm        | <b>1</b>      | ■3           | <br> |
| Sodium        | ppm        | <b>■&lt;1</b> | <b>0</b>     | <br> |
| Potassium     | ppm        | <b>■</b> 0    | <b>1</b>     | <br> |
|               |            |               |              |      |
| WEAR N        | AFTALS     |               |              |      |
| ron           | ppm        | <b>□</b> 35   | <b>□</b> 292 | <br> |
| Copper        | ppm        | <b>7</b>      | <b>5</b> 9   | <br> |
| Lead          | ppm        | <b>0</b>      | □0           | <br> |
| Tin           | ppm        | ■0            | 2            | <br> |
| Aluminum      | ppm        | ■0            | □<1          | <br> |
| Chromium      | ppm        | ■0            | <b>1</b> 6   | <br> |
| Molybdenum    | ppm        | <b>0</b>      | <b>6</b>     | <br> |
| Nickel        | ppm        | ■0            | <b>3</b>     | <br> |
| Titanium      | ppm        | 0             | 0            | <br> |
| Silver        | ppm        | 0             | 0            | <br> |
| Manganese     | ppm        | <b>1</b>      | <b>1</b> 5   | <br> |
| Vanadium      | ppm        | 0             | 0            | <br> |
|               | F          | -             |              |      |
| ADDITIV       | IEC        |               |              | <br> |
| _             | -          | -11           | = 27         |      |
| Calcium       | ppm        | <b>11</b>     | 27           | <br> |
| Magnesium     | ppm        | <b>■</b> <1   | <b>-</b> <1  | <br> |
| Zinc          | ppm        | <b>0</b>      | 12           | <br> |
| Phosphorus    | ppm        | <b>2335</b>   | 1342         | <br> |
| Barium        | ppm        | <b>0</b>      | <b>2</b>     | <br> |



#### **WELLONS CONSTRUCTION**

510 N POWELL AVE DUNN, NC US 28334 Contact: GREG WRENCH

T: (910)892-6630 F: (910)892-3046

### Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot: WELDUN **Unique No:** 11059205 Signed: Don Baldridge Report Date: 04 Jun 2024

ppm

**295** 



## **CONSTRUCTION EQUIPMENT**





