

CONSTRUCTION EQUIPMENT VOLVO A25G 752514 - HYDRAULIC SYSTEM



Sample No: VCP450714

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No:

VOLVO				
SAMPLE II	NFORMATION			
Sample Number		VCP450714	 	
Sample Date		06 Jun 2024	 	
Machine Hours		2532	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
_		NORMAL	 	
Sample Status		NORWAL	 	
VOLVO				
OIL CONDI	TION			
Visc @ 40°C	cSt	43.5	 	
Acid Number (AN)	mg KOH/g	■0.36	 	
	<i>y</i> , , y			
VOLVO	IATION			
CONTAMIN	TATIUN			
Water	%	NEG	 	
Particles >4µm		1626	 	
Particles >6µm		283	 	
Particles >14µm		13	 	
ISO 4406:1999 (c)		18/15/11	 	
Silicon	ppm	2	 	
Sodium	ppm	0	 	
Potassium	ppm	0	 	
WEAR ME	ΖΑΙΣ			
_				
Iron	ppm	8	 	
Copper	ppm	3	 	
Lead	ppm	0	 	
Tin	ppm	0	 	
Aluminum	ppm	0	 	
Chromium	ppm	= <1	 	
Molybdenum	ppm	■ <1	 	
Nickel	ppm	0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	= <1	 	
Vanadium	ppm	0	 	
VOLVO				
ADDITIVE:	5			
Calcium	ppm	88	 	
Magnesium	ppm	5	 	
Zinc	ppm	439	 	
Phosphorus	ppm	325	 	
Barium		0	 	
Boron	ppm	■0 ■<1		
טוטוו	ppm		 	



ALTA EQUIPMENT/FLAGLER EQUIPMENT LLC

9601 BOGGY CREEK RD ORLANDO, FL US 32824 Contact: BRAD BYRO bradley.byro@altg.com T: (407)850-9614 F: (407)659-8720

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot:VOLVO0096Unique No:11070549Signed:Wes DavisReport Date:18 Jun 2024



CONSTRUCTION EQUIPMENT





GRAPHS

