Sample No: VCP447733

Oil Type: VOLVO SUPER HYDRAULIC OIL 46

Job No: 717692 PADNOS

VOLVO CAMDI F II	NFORMATION			
_	NI UNITATION			_
Sample Number		VCP447733	 	
Sample Date		22 Jun 2024	 	
Machine Hours		4142	 	
Oil Hours		4000	 	
Oil Changed		Changed	 	
Sample Status		ABNORMAL	 	
VOLVO				
OIL CONDI	TION			
Visc @ 40°C	cSt	46.7	 	
Acid Number (AN)	mg KOH/g	■ 0.29	 	
CONTAMIN	NATION			
Water	%	NEG	 	
Particles >4µm		40908	 	
Particles >6µm		11915	 	
Particles >14µm		^ 244	 	
ISO 4406:1999 (c)		23/21/15	 	
Silicon	ppm	■3	 	
Sodium	ppm	2	 	
Potassium	ppm		 	
WEAR ME	TALC			
WEAR ME				
ron	ppm	■4	 	
Copper	ppm	■ <1	 	
Lead	ppm	■0	 	
Tin	ppm	■0	 	
Aluminum	ppm	■ <1	 	
Chromium	ppm	■ <1	 	
Molybdenum	ppm	■0	 	
Nickel	ppm	■0	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	■ 0	 	
Vanadium	ppm	0	 	



ALTA EQUIPMENT COMPANY - METRO WEST
56195 PONTIAC TRAIL
NEW HUDSON, MI
US 48165
Contact: PAUL CONZ
paul.conz@altg.com
T:

Diagnosis

F: (248)356-2029

The filter change at the time of sampling has been noted. We recommend an early resample to monitor this condition. All component wear rates are normal. There is a moderate amount of silt (particulates < 14 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

Depot:VOLVO2990Unique No:11113592Signed:Wes DavisReport Date:09 Jul 2024

72

■7 ■396

321

0

0

ADDITIVES

ppm

ppm

ppm

ppm

ppm

ppm

Calcium

Zinc

Barium

Boron

Magnesium

Phosphorus



CONSTRUCTION EQUIPMENT





GRAPHS

