

CONSTRUCTION EQUIPMENT

578360 T&K CONSTRUCT VOLVO A45G 352823 - HYDRAULIC SYSTE

Sample No: VCP451226

Particles > 14µm

Silicon

Sodium

Potassium

ISO 4406:1999 (c)

ppm

ppm

maa

Oil Type: **VOLVO SUPER HYDRAULIC OIL 46**

27

6

1 0

20/17/12

Job No: 578360 T&K CONSTRUCT

SAMPLE INFORMATION									
Sample Number		VCP451226							
Sample Date		10 Jun 2024							
Machine Hours		4183							
Oil Hours		4183							
Oil Changed		Not Changd							
Sample Status		NORMAL							
AOTAO UII LUNUI.	LIUN								
OIL CONDITION									
Visc @ 40°C	cSt	43.3							
Acid Number (AN)	mg KOH/g	■ 0.35							
CONTAMIN	IATION								
LUNTAMIN	ATION								
Water	%	NEG							
Particles >4µm		8943							
Particles >6µm		1080							

· otassiaiii	P P								
WEAR METALS									
WLAIN	11 1 VL3								
Iron	ppm	7							
Copper	ppm	■<1							
Lead	ppm	■<1							
Tin	ppm	■0							
Aluminum	ppm	■<1							
Chromium	ppm	■0							
Molybdenum	ppm	■<1							
Nickel	ppm	■0							
Titanium	ppm	0							
Silver	ppm	0							
Manganese	ppm	■ 0							
Vanadium	nnm	0							

ADDITIVES							
Calcium	ppm	■98					
Magnesium	ppm	14					
Zinc	ppm	453					
Phosphorus	ppm	■370					
Barium	ppm	0					
Boron	ppm	■0					



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC 8418 PALM RIVER ROAD TAMPA, FL US 33619 Contact: JOHN FARDELLA john.fardella@altg.com T: (813)630-0077 F: (813)630-2233

Diagnosis

Resample at the next service interval to monitor.All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: VOLVO0093 **Unique No:** 11126536 Signed: Wes Davis Report Date: 17 Jul 2024



CONSTRUCTION EQUIPMENT





GRAPHS

