



## PAULA SPINA 6186 JOHN DEERE 6068TFM50 CD6068T753710 - DIESEL ENGINE

Sample No: VPA045802
Oil Type: NOT GIVEN

SAMPLE INFORMAT	TION			
Sample Number		VPA045802	 	
Sample Date		13 Jul 2023	 	
Machine Hours		4506	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
OIL CONDITION				
	C:	=4400		
Visc @ 100°C	cSt	<b>■ 14.29</b>	 	
Base Number (BN)	mg KOH/g	<b>■</b> 7.8	 	
Oxidation (PA)	%	60	 	
CONTAMINATION				
Soot %	%	■ 0.1	 	
Nitration (PA)	%	63	 	
Sulfation (PA)	%	56	 	
Glycol	%	NEG	 	
Fuel	%	<1.0	 	
Silicon	ppm	<b>7</b>	 	
Sodium	ppm	<b>2</b>	 	
Potassium	ppm	<b>4</b>	 	
WEAR METALS				
Iron	ppm	<u>5</u>	 	
Copper	ppm	<b>6</b>	 	
Lead	ppm	■4	 	
Tin	ppm	<b>■</b> <1	 	
Aluminum	ppm	■3	 	
Chromium	ppm	<b></b>	 	
Molybdenum	ppm	250	 	
Nickel	ppm	<b>■&lt;1</b>	 	
Titanium	ppm	0	 	
Silver	ppm	<b>□</b> <1	 	
Manganese	ppm	<1	 	
Vanadium	ppm	<1	 	
ADDITIVES	- PP-M			
Calcium	nnm	<b>1490</b>	 	
Magnesium	ppm	■ 1490 ■ 903		
Zinc	ppm	<b>■</b> 903 ■1192	 	
Phosphorus	ppm			
•	ppm	<b>■</b> 994	 	
Barium	ppm	<b>■</b> 0 <b>■</b> 306		
Boron	ppm	<u> </u>	 	

## **Northwest Diesel Power**

1325 ROEDER AVE SUITE 103 BELLINGHAM, WA US 98225 Contact: BRANDON ROBERTSON

parts@nwdieselpower.com
T:

F:

## Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP759009Unique No:10560496Signed:Doug BogartReport Date:14 Jul 2023

## **OIL ANALYSIS REPORT**



