



THOMAS GOAR SAM VOLVO PENTA 70112002655 - PORT DIESEL ENGINE

Sample No: VPA055042

Oil Type: VOLVO PENTA SAE 15W40

SAMPLE INFORMAT	TION			
Sample Number		VPA055042	 	
Sample Date		07 Aug 2023	 	
Machine Hours		104		
Oil Hours		0		
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL CONDITION				
Visc @ 100°C	cSt	12.9	 	
Base Number (BN)	mg KOH/g	10.0	 	
Oxidation (PA)	%	55	 	
CONTAMINATION				
CONTAMINATION				
Soot %	%	■ 0.1	 	
Nitration (PA)	%	43	 	
Sulfation (PA)	%	52	 	
Glycol	%	NEG	 	
Fuel	%	<1.0	 	
Silicon	ppm	1 5	 	
Sodium	ppm	■0	 	
Potassium	ppm	2	 	
Totassiam	ррпп			
WEAR METALS				
Iron	ppm	■ 6	 	
Copper	ppm	13	 	
Lead	ppm		 	
Tin	ppm	■ <1	 	
Aluminum	ppm	■0	 	
Chromium	ppm	0	 	
Molybdenum		■60	 	
Nickel	ppm	■ <1	 	
Titanium	ppm	■ < 1	 	
	ppm	_		
Silver	ppm			
Manganese	ppm		 	
Vanadium	ppm	0	 	
ADDITIVES				
Calcium	ppm	1266	 	
Magnesium	ppm	■892	 	
Zinc	ppm	■ 1245	 	
Phosphorus	ppm	1075	 	
Barium	ppm	■ 1075	 	
Boron	ppm	□ <1	 	
DOTOTI	PPIII	_ ` '		

Endor Marine LLC - Coastal Marine - 152124 4300 11th Ave. NW SEATTLE, WA US 98107

Contact: WILLOW YANARELLA service@coastalmarineengine.com

T: (206)784-3703 F: (206)784-8823

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP794951Unique No:10603049Signed:Don BaldridgeReport Date:15 Aug 2023

OIL ANALYSIS REPORT



