



NORTHERN LIGHTS 6732-54098 - GENSET

Sample No: VPA056462

Oil Type: DIESEL ENGINE OIL SAE 15W40

| | | | | |
|-----------------------|----------|---------------|------|--|
| SAMPLE INFORMAT | TION | | | |
| Sample Number | | VPA056462 | | |
| Sample Date | | 22 Aug 2023 | | |
| Machine Hours | | 725 | | |
| Oil Hours | | 0 | | |
| | | | | |
| Oil Changed | | Not Changd | | |
| Sample Status | | NORMAL | | |
| OIL CONDITION | | | | |
| Visc @ 100°C | cSt | 13.6 | | |
| Base Number (BN) | mg KOH/g | ■8.4 | | |
| Oxidation (PA) | % | 61 | | |
| CONTAMINATION | | | | |
| Soot % | % | ■0.2 | | |
| Nitration (PA) | % | 49 | | |
| | | | | |
| Sulfation (PA) | % | 53 | | |
| Glycol | % | NEG | | |
| Fuel | % | <1.0 | | |
| Silicon | ppm | 6 | | |
| Sodium | ppm | 2 | | |
| Potassium | ppm | ■ 6 | | |
| WEAR METALS | | | | |
| Iron | ppm | ■ 4 | | |
| Copper | ppm | 2 | | |
| Lead | ppm | <1 | | |
| Tin | ppm | <1 | | |
| Aluminum | ppm | ■<1 | | |
| Chromium | ppm | ■0 | | |
| Molybdenum | ppm | 11 | | |
| Nickel | ppm | 0 | | |
| Titanium | | ■ <1 | | |
| Silver | ppm | 0 | | |
| | ppm | | | |
| Manganese Vanadium | ppm | ■ <1 | | |
| | ppm | <u> </u> | | |
| ADDITIVES | | | | |
| Calcium | ppm | 2102 | | |
| Magnesium | ppm | 180 | | |
| Zinc | ppm | 1220 | | |
| Phosphorus | ppm | 1021 | | |
| Barium | ppm | ■0 | | |
| Boron | ppm | 194 | | |
| 301011 | Phili | 1 <i>7</i> -7 | | |

ALL SYSTEMS MARINE

700 MYRICK ST PENSACOLA, FL US 32505 Contact: TRISTAN JOHNSON allsystemsmarine@yahoo.com T: (228)218-7963 F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP99220003Unique No:10621097Signed:Don BaldridgeReport Date:28 Aug 2023

OIL ANALYSIS REPORT



