



ZF 067 1678 - INBOARD - CENTER GENSET

Sample No: VPA049816

Oil Type: DIESEL ENGINE OIL SAE 15W40

SAMPLE INFORMAT	TION			
Sample Number		VPA049816	 	
Sample Date		06 Oct 2023	 	
Machine Hours		756	 	
Oil Hours		20	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
OIL CONDITION				
Visc @ 100°C	cSt	14.2	 	
Base Number (BN)	mg KOH/g	9.7	 	
Oxidation (PA)	%	67	 	
` '	,,,			
CONTAMINATION				
Soot %	%	□ 0	 	
Nitration (PA)	%	43	 	
Sulfation (PA)	%	55	 	
Glycol	%	NEG	 	
Fuel	%	<1.0	 	
Silicon	ppm	■8	 	
Sodium	ppm	5	 	
Potassium	ppm	1	 	
Fotassium	ррпп	I	 	
WEAR METALS				
Iron	ppm	10	 	
Copper	ppm	1	 	
Lead	ppm	□0	 	
Tin	ppm	■ <1	 	
Aluminum	ppm	□2	 	
Chromium	ppm	<1	 	
Molybdenum		■35	 	
Nickel	ppm	0	 	
Titanium	ppm	■0	 	
Silver	ppm	0	 	
	ppm			
Manganese Vanadium	ppm	■ <1	 	
vanadium	ppm	0	 	
ADDITIVES				
Calcium	ppm	1480	 	
Magnesium	ppm	494	 	
Zinc	ppm	1171	 	
Phosphorus	ppm	■995	 	
Barium	ppm	■0	 	
Boron	ppm	69	 	
201011	PPIII			

FLORIDA DETROIT DIESEL - 531006 - 1125774

1128 CHESTNUT AVE PANAMA CITY, FL US 32401 Contact: RICHARD RO

Contact: RICHARD ROBERTS ri.roberts@ssss.com T: (850)763-7656 F:

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VPFLOPANUnique No:10687241Signed:Angela BorellaReport Date:12 Oct 2023

OIL ANALYSIS REPORT



