OIL ANALYSIS REPORT

BATTEN VOLVO PENTA 2006035218 - PORT DIESEL ENGINE

Sample No: VPA059108

Oil Type: VOLVO ULTRA DIESEL ENGINE OIL 15W40 VDS-3

at this time. Resample at the next service interval to monitor.All component wear rates are normal Soot % Water % NEG component wear rates are normal There is no indication of any contamination in the oil. The BN sulfation (PA) % 58 contamination in the oil. The BN result indicates that there is suita	SAMPLE INFORMAT																																																																																																
Sample Date 19 Dec 2023 Note Machine Hours 570 Note NORFOLK, VA <	Sample Number		VPA059108	 																																																																																													
Machine Hours 570 AST / Lumming Koad Dil Hours 0 Version US 23518	•		19 Dec 2023	 																																																																																													
Jin Holds Changed Changed Changed Changed Changed Contact: WALTER CLARK Sample Status NORMAL The contact: WALTER CLARK <	-		570	 		5																																																																																											
Dil Changed US 2318 Gample Status NORMAL Contact: WALTER CLARK ychtfiser@aol.com OIL CONDITION Jić Condition C CSt 15.2 Termation Contact: WALTER CLARK ychtfiser@aol.com Did Condition CR % 70 Termation Contact: WALTER CLARK ychtfiser@aol.com Did Condition CR % 70 Termation Contact: WALTER CLARK ychtfiser@aol.com Water % No KeG Termation Contact: WALTER CLARK ychtfiser@aol.com Soldation (PA) % 58 Termation in the cli the contaction of any ychtfiser@aol.com Sycol % 10 Termation in the cli the contaction of any ychtfiser@aol.com Sycol % 10 Termation in the cli th	Oil Hours		0	 																																																																																													
Sample Status NORMAL Contact: WALLER CLARK yothiser@alo.com Contact: WALLER CLARK yothiser@alo.com OIL CONDITION Fe Sample Status Fe Sample Status <td></td> <td></td> <td></td> <td> </td> <td></td> <td>US 23518</td>				 		US 23518																																																																																											
Coll Conduition T Coll Conduition T See Number (BN) TO 6 Datidation (PA) % TO CONTAMINATION Water % NEG ath time. Resample at the nexe service interval to monitor.All component wear rates are norms service. Interval to monitor.All component wear rates are norms service. Interval to monitor.All component wear rates are norms three is notication of any contamination in the oil. The formation ppm Solution ppm 1 Solution ppm 1 Solution ppm 1 <td>-</td> <td></td> <td>-</td> <td> </td> <td></td> <td>Contact: WALTER CLARK</td>	-		-	 		Contact: WALTER CLARK																																																																																											
With result (Note (sumple status	_				ychtfixer@aol.com																																																																																											
Marce B 100°C C 51 115.2	OIL CONDITION																																																																																																
Datidation (PA) % 70 Diagnosis CONTAMINATION NEG at his time. Resample at the next service interval to monitor.All connective attion is recommer at this time. Resample at the next service interval to monitor.All connective attion is recommer at this time. Resample at the next service interval to monitor.All connective at the next service interval to monito	/isc @ 100°C	cSt	15.2	 		F.																																																																																											
Note of the second sec	Base Number (BN)	mg KOH/g	7.6	 																																																																																													
CONTAMINATION Alter % NEG consider interval to monitor All component wear rates are normation all component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor All component wear rates are normation. and the interval to monitor. and the interval to moni	Oxidation (PA)		70	 		Diagnosis																																																																																											
Water% %NEGcomponent wear rates are normal there is no indication of any contamination in the oil. The SN sold %SRThere is no indication of any contamination in the oil. The SN sold %SRIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEGIntere is no indication of any contamination in the oil. The SN sold %NEG<	CONTAMINATION	No corrective action is recommend at this time. Resample at the next service interval to monitor All																																																																																															
Sion t % % 1 Three is no indication of any contamination in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result indicates that there is suit alkalinity remaining in the oil. The BN result i	Water	%	NEG	 																																																																																													
Nitration (PA)%58oral matching in the oil. The BN. result indicates that there is suit adkalinity remaining in the oil. The BN. result indicates that there is suit adkalinity remaining in the oil. The BN. result indicates that there is suit adkalinity remaining in the oil. The BN. result indicates that there is suit adkalinity remaining in the oil. The BN. result indicates that there is suit 	Soot %	%	0.1	 																																																																																													
Sulfation (PA) % 58 alkalinity remaining in the oil. The condition of the oil is acceptable in the oil is acceptable in the oil is acceptable in the oil. The co				 																																																																																													
Silycol % NEG alkalinity remaining in the oil is acceptable of	. ,	%	58	 		result indicates that there is suitabl																																																																																											
100 condition of the oil is acceptable the time in service. Sodium ppm 5 Sodium ppm 1 VEAR METALS VEAR METALS Copper ppm 3 Copper ppm <1				 		alkalinity remaining in the oil. The																																																																																											
silicon ppm 5 Sodium ppm <1				 																																																																																													
Sodium pm <1 Potassium ppm 1 WEAR METALS Copper ppm 3 Lead ppm <1				 		the time in service.																																																																																											
Potassium ppm 1 WEAR METALS Coopper ppm 26 Coopper ppm 3 Coopper ppm 3 Scopper ppm 3 Aluminum ppm 21 Viscle ppm 3 Silver ppm 21 Adanatium ppm 2100																																																																																																	
WEAR METALS iron ppm 26 Copper ppm 3 Lead ppm <1			_	 																																																																																													
Copper ppm III eead ppm <1 Tin ppm <1			- 26																																																																																														
Lead ppm <1																																																																																																	
Tin pm <1																																																																																																	
Aluminum ppm 2 Chromium ppm <1																																																																																																	
Chromium ppm <1			_																																																																																														
Molybdenum ppm 0 Nickel ppm 1 Nickel ppm <1																																																																																																	
Nickel ppm 1 Titanium ppm <1																																																																																																	
Titanium ppm <1	-						Silver ppm 0 Manganese ppm <1			_				Manganese ppm <1							Vanadium ppm 0 ADDITIVES Calcium ppm 2100 Magnesium ppm 101 Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Depot: VP151520							ADDITIVES Calcium ppm 2100 Magnesium ppm 101 Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	-		_	 			Calcium ppm 2100 Magnesium ppm 101 Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron 177 Depot: VP151520		ppm	U	 			Magnesium ppm 101 Cinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	ADDITIVES						Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Pepot: VP151520	Calcium	ppm	2100	 			Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	Magnesium	ppm	101	 			Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	linc		1228	 			Barium ppm 0 Depot: VP151520 Boron ppm 177 Depot: VP151520				 			Boron ppm 177 Depot: VP151520				 			•				 		Depot: VP151520			-				•
-																																																																																																	
Silver ppm 0 Manganese ppm <1			_																																																																																														
Manganese ppm <1																																																																																																	
Vanadium ppm 0 ADDITIVES Calcium ppm 2100 Magnesium ppm 101 Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Depot: VP151520																																																																																																	
ADDITIVES Calcium ppm 2100 Magnesium ppm 101 Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	-		_	 																																																																																													
Calcium ppm 2100 Magnesium ppm 101 Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron 177 Depot: VP151520		ppm	U	 																																																																																													
Magnesium ppm 101 Cinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	ADDITIVES																																																																																																
Zinc ppm 1228 Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Pepot: VP151520	Calcium	ppm	2100	 																																																																																													
Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	Magnesium	ppm	101	 																																																																																													
Phosphorus ppm 1079 Barium ppm 0 Boron ppm 177 Depot: VP151520	linc		1228	 																																																																																													
Barium ppm 0 Depot: VP151520 Boron ppm 177 Depot: VP151520				 																																																																																													
Boron ppm 177 Depot: VP151520				 																																																																																													
•				 		Depot: VP151520																																																																																											
		-				•																																																																																											

Contact/Location: WALTER CLARK - VP151520

Report Date:


22 Dec 2023



OIL ANALYSIS REPORT



GRAPHS



Report Id: VP151520 [WUSCAR] 06041920 (Generated: 12/22/2023 14:16:46) Rev: 1

Contact/Location: WALTER CLARK - VP151520