



WIDTER DYNA 63-16 JC CATERPILLAR TPJ00604 - PORT DIESEL ENGINE

Sample No: VPA057081

Oil Type: CAT

SAMPLE INFORMAT	TION			
Sample Number		VPA057081	 	
Sample Date		13 Dec 2023	 	
Machine Hours		157	 	
Oil Hours		0	 	
Oil Changed		Not Changd	 	
Sample Status		NORMAL	 	
OIL COMPLETION				
OIL CONDITION				
Visc @ 100°C	cSt	12.8	 	
Base Number (BN)	mg KOH/g	10.4	 	
Oxidation (PA)	%	69	 	
CONTAMINATION				
Water	%	NEG	 	
Soot %	%	■0.2	 	
Nitration (PA)	%	41	 	
Sulfation (PA)	%	58	 	
Glycol	%	NEG	 	
Fuel	%	<1.0	 	
Silicon	ppm	■7	 	
Sodium	ppm	■ 3	 	
Potassium	ppm		 	
WEAR METALS				
Iron	ppm	<u> </u>	 	
Copper	ppm	■3	 	
Lead	ppm	■ 0	 	
Tin	ppm	■<1	 	
Aluminum	ppm	1	 	
Chromium	ppm	<u> </u>	 	
Molybdenum	ppm	■38	 	
Nickel	ppm	O	 	
Titanium	ppm	■ <1	 	
Silver	ppm	■ 0	 	
Manganese	ppm	<1	 	
Vanadium	ppm	<1	 	
ADDITIVES				
Calcium	ppm	□ 1568	 	
Magnesium	ppm	518	 	
Zinc	ppm	1091	 	
Phosphorus	ppm	927	 	
Barium	ppm	0	 	
Boron	ppm	62	 	
201011	77			

Outstanding Marine

PO Box 274 GALENA, MD US 21635 Contact: Ronda Bolinger rlwb@verizon.net

F:

Diagnosis

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.Metal levels are typical for a new component breaking in. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

Depot:VP153685Unique No:10816309Signed:Sean FeltonReport Date:04 Jan 2024

OIL ANALYSIS REPORT



