



50036488 - INBOARD - PORT GEARBOX

Sample No: VPA021961
Oil Type: SAE 40W

| CAMPLE INCOM | IATION | | | |
|---------------|--------|---------------|------|--|
| SAMPLE INFORM | IATIUN | | | |
| Sample Number | | VPA021961 | | |
| Sample Date | | 03 Jan 2024 | | |
| Machine Hours | | 0 | | |
| Oil Hours | | 0 | | |
| Oil Changed | | N/A | | |
| Sample Status | | NORMAL | | |
| OIL CONDITION | | | | |
| Visc @ 40°C | cSt | 127.7 | | |
| CONTAMINATION | N | | | |
| Water | % | NEG | | |
| Silicon | ppm | ■ 3 | | |
| Sodium | ppm | ■0 | | |
| Potassium | ppm | <u> </u> | | |
| WEAR METALS | | | | |
| PQ | | 13 | | |
| Iron | ppm | 2 | | |
| Copper | ppm | -<1 | | |
| Lead | ppm | ■<1 | | |
| Tin | ppm | □<1 | | |
| Aluminum | ppm | ■2 | | |
| Chromium | ppm | □<1 | | |
| Molybdenum | ppm | 116 | | |
| Nickel | ppm | ■<1 | | |
| Titanium | ppm | ■<1 | | |
| Silver | ppm | 0 | | |
| Manganese | ppm | ■ 0 | | |
| Vanadium | ppm | 0 | | |
| ADDITIVES | | | | |
| Calcium | ppm | 2593 | | |
| Magnesium | ppm | 43 | | |
| Zinc | ppm | 1189 | | |
| Phosphorus | ppm | 1083 | | |
| Barium | ppm | 10 | | |
| Boron | ppm | ■9 | | |
| | 1.1. | _ | | |

ADVANCED DIESEL

1029 INDUSTRIAL BLVD, UNIT 2 NAPLES, FL US 34104 Contact: KEITH SPICER keith_advanceddiesel@yahoo.com T: (239)580-8731 F:

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.

Depot:VPADVNAPUnique No:10817242Signed:Doug BogartReport Date:04 Jan 2024

OIL ANALYSIS REPORT



