



## **VOLVO PENTA A267286 - PORT DIESEL ENGINE**

Sample No: VPA052266

**Oil Type:** DIESEL ENGINE OIL SAE 15W40

| SAMPLE INFORMAT  | <b>TION</b> |               |      |  |
|------------------|-------------|---------------|------|--|
| Sample Number    |             | VPA052266     | <br> |  |
| Sample Date      |             | 14 Mar 2024   | <br> |  |
| Machine Hours    |             | 1088          | <br> |  |
| Oil Hours        |             | 0             | <br> |  |
| Oil Changed      |             | N/A           | <br> |  |
| Sample Status    |             | NORMAL        | <br> |  |
|                  |             | NORWAL        | <br> |  |
| OIL CONDITION    |             |               |      |  |
| Visc @ 100°C     | cSt         | <b>13.5</b>   | <br> |  |
| Base Number (BN) | mg KOH/g    | ■9.9          | <br> |  |
| Oxidation (PA)   | %           | 57            | <br> |  |
| CONTAMINATION    |             |               |      |  |
| Water            | %           | NEG           | <br> |  |
| Soot %           | %           | <b>■</b> 0.2  | <br> |  |
| Nitration (PA)   | %           | 47            | <br> |  |
| Sulfation (PA)   | %           | 52            | <br> |  |
| Glycol           | %           | NEG           | <br> |  |
| Fuel             | %           | <1.0          | <br> |  |
| Silicon          | ppm         | <b>□</b> 7    | <br> |  |
| Sodium           | ppm         | <b>4</b>      | <br> |  |
| Potassium        | ppm         | <b></b>       | <br> |  |
|                  | ррпп        | _ 、           |      |  |
| WEAR METALS      |             |               |      |  |
| Iron             | ppm         | <b>18</b>     | <br> |  |
| Copper           | ppm         | <b>■</b> 3    | <br> |  |
| Lead             | ppm         | <b>■&lt;1</b> | <br> |  |
| Tin              | ppm         | <b>■&lt;1</b> | <br> |  |
| Aluminum         | ppm         | <b>5</b>      | <br> |  |
| Chromium         | ppm         | <b>■&lt;1</b> | <br> |  |
| Molybdenum       | ppm         | <b>91</b>     | <br> |  |
| Nickel           | ppm         | <b>1</b>      | <br> |  |
| Titanium         | ppm         | ■0            | <br> |  |
| Silver           | ppm         | ■0            | <br> |  |
| Manganese        | ppm         | <b>■</b> <1   | <br> |  |
| Vanadium         | ppm         | <1            | <br> |  |
| ADDITIVES        |             |               |      |  |
| Calcium          | ppm         | <b>1536</b>   | <br> |  |
| Magnesium        | ppm         | <b>1495</b>   | <br> |  |
| Zinc             | ppm         | ■ 1854        | <br> |  |
| Phosphorus       | ppm         | <b>1486</b>   | <br> |  |
| Barium           | ppm         | <b>0</b>      | <br> |  |
| Boron            | ррт         | 2             | <br> |  |
| DOTOIT           | phili       |               | <br> |  |

## **JOHNSTONS MARINE SERVICES**

1850 NW 15th AVENUE, SUITE 205 POMPANO BEACh, FL US 33069 Contact: NEIL JOHNSTON neil@1jms.com T: (984)448-0813 F:

## Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VPJOHDEEUnique No:10930181Signed:Don BaldridgeReport Date:20 Mar 2024

## **OIL ANALYSIS REPORT**



