



## VOLVO PENTA 1012351050 - STARBOARD DIESEL ENGINE

Sample No: VPA058027

Oil Type: DIESEL ENGINE OIL SAE 15W40

| SAMPLE INFORMAT  | TION     |                 |      |  |
|------------------|----------|-----------------|------|--|
| Sample Number    |          | VPA058027       | <br> |  |
| Sample Date      |          | 21 Mar 2024     | <br> |  |
| Machine Hours    |          | 862             | <br> |  |
| Oil Hours        |          | 0               | <br> |  |
| Oil Changed      |          | N/A             | <br> |  |
| Sample Status    |          | NORMAL          | <br> |  |
|                  |          |                 |      |  |
| OIL CONDITION    |          |                 |      |  |
| Visc @ 100°C     | cSt      | <b>14.12</b>    | <br> |  |
| Base Number (BN) | mg KOH/g | ■8.7            | <br> |  |
| Oxidation (PA)   | %        | 65              | <br> |  |
| CONTAMINATION    |          |                 |      |  |
| CONTAMINATION    |          |                 |      |  |
| Water            | %        | NEG             | <br> |  |
| Soot %           | %        | ■0.2            | <br> |  |
| Nitration (PA)   | %        | 50              | <br> |  |
| Sulfation (PA)   | %        | 56              | <br> |  |
| Glycol           | %        | NEG             | <br> |  |
| Fuel             | %        | <1.0            | <br> |  |
| Silicon          | ppm      | <b>■4</b>       | <br> |  |
| Sodium           | ppm      | <b>■&lt;1</b>   | <br> |  |
| Potassium        | ppm      | <b>5</b>        | <br> |  |
| WEAR METALS      |          |                 |      |  |
| Iron             | ppm      | <b>4</b>        | <br> |  |
| Copper           | ppm      | 1               | <br> |  |
| Lead             | ppm      | ■0              | <br> |  |
| Tin              | ppm      | <b>■&lt;1</b>   | <br> |  |
| Aluminum         | ppm      | <u></u> <1      | <br> |  |
| Chromium         | ppm      | ■0              | <br> |  |
| Molybdenum       | ppm      | <b>12</b>       | <br> |  |
| Nickel           | ppm      | <b>■</b> 0      | <br> |  |
| Titanium         | ppm      | <b>0</b>        | <br> |  |
| Silver           | ppm      | <b>■</b> 0      | <br> |  |
| Manganese        | ppm      | <b>■&lt;1</b>   | <br> |  |
| Vanadium         | ppm      | 0               | <br> |  |
| ADDITIVES        |          |                 |      |  |
| Calcium          | nnm      | <b>1820</b>     | <br> |  |
| Magnesium        | ppm      | ■ 1520<br>■ 158 | <br> |  |
| Zinc             | ppm      | ■ 1106          | <br> |  |
| Phosphorus       | ppm      | ■ 1100<br>■ 923 | <br> |  |
| Barium           | ppm      | <b>0</b>        | <br> |  |
| Boron            | ррт      | <b>123</b>      | <br> |  |
| DOTOIT           | PPIII    | <u> </u>        |      |  |

## **SUNCOAST DIESEL MARINE**

6341 PORTER ROAD, SUITE 6 SARASOTA, FL US 34240 Contact: SERVICE MANAGER info@suncoastdmi.com T: (941)342-0033 F:

## Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP705283Unique No:10940983Signed:Doug BogartReport Date:22 Mar 2024

## **OIL ANALYSIS REPORT**



