



ARNOLD VOLVO PENTA 7008430616 - PORT DIESEL ENGINE

Sample No: VPA062951

Oil Type: DIESEL ENGINE OIL SAE 15W40

| SAMPLE INFORMAT | TION | | | |
|------------------|-----------|----------------|------|--|
| Sample Number | | VPA062951 | | |
| Sample Date | | 06 May 2024 | | |
| Machine Hours | | 381 | | |
| Oil Hours | | 0 | | |
| Oil Changed | | Not Changd | | |
| Sample Status | | NORMAL | | |
| | | | | |
| OIL CONDITION | | | | |
| Visc @ 100°C | cSt | 13.64 | | |
| Base Number (BN) | mg KOH/g | 10.1 | | |
| Oxidation (PA) | % | 53 | | |
| CONTAMINATION | | | | |
| CONTAMINATION | | | | |
| Water | % | NEG | | |
| Soot % | % | ■ 0.1 | | |
| Nitration (PA) | % | 37 | | |
| Sulfation (PA) | % | 49 | | |
| Glycol | % | NEG | | |
| Fuel | % | <1.0 | | |
| Silicon | ppm | ■8 | | |
| Sodium | ppm | 1 | | |
| Potassium | ppm | 2 | | |
| WEAR METALS | | | | |
| Iron | nnm | □ 6 | | |
| Copper | ppm | 4 | | |
| Lead | ppm | 2 | | |
| Tin | ppm | 2 | | |
| Aluminum | ppm | 1 | | |
| Chromium | ppm | ■ <1 | | |
| Molybdenum | ppm | ■ 56 | | |
| Nickel | ppm | 1 | | |
| Titanium | ppm | ■ <1 | | |
| Silver | ppm | | | |
| Manganese | ppm | 1 | | |
| Vanadium | ppm | 0 | | |
| | PP | | | |
| ADDITIVES | | | | |
| Calcium | ppm | 1171 | | |
| Magnesium | ppm | 1093 | | |
| Zinc | ppm | 1402 | | |
| Phosphorus | ppm | ■ 1167 | | |
| Barium | ppm | ■0 | | |
| Boron | ppm | 0 | | |
| | | | | |

SUNCOAST DIESEL MARINE

6341 PORTER ROAD, SUITE 6 SARASOTA, FL US 34240 Contact: SERVICE MANAGER info@suncoastdmi.com T: (941)342-0033

Diagnosis

F:

No corrective action is recommended at this time. Resample at the next service interval to monitor.All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP705283Unique No:11017969Signed:Doug BogartReport Date:07 May 2024

OIL ANALYSIS REPORT



