



MCCLOSKEY 78919 - VARIABLE SPEED - DIESEL ENGINE

Sample No: VPA054173

Oil Type: DIESEL ENGINE OIL SAE 40

SAMPLE INFORMAT	TION			
Sample Number		VPA054173	 	
Sample Date		08 May 2024	 	
Machine Hours		500	 	
Oil Hours		500	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL CONDITION				
Visc @ 100°C	cSt	13.3	 	
Base Number (BN)	mg KOH/g	8.1	 	
Oxidation (PA)	%	45	 	
` '	70	.5		
CONTAMINATION				
Water	%	NEG	 	
Soot %	%	■ 0	 	
Nitration (PA)	%	43	 	
Sulfation (PA)	%	49	 	
Glycol	%	NEG	 	
Fuel	%	<1.0	 	
Silicon	ppm	6	 	
Sodium	ppm	1	 	
Potassium	ppm	0	 	
WEAR METALS				
Iron	ppm	2	 	
Copper	ppm	43	 	
Lead	ppm	0	 	
Tin	ppm	0	 	
Aluminum	ppm	1	 	
Chromium	ppm	■ 0	 	
Molybdenum	ppm	47	 	
Nickel	ppm	■ 0	 	
Titanium	ppm	■<1	 	
Silver	ppm	■<1	 	
Manganese	ppm	■<1	 	
Vanadium	ppm	<1	 	
ADDITIVES				
Calcium	ppm	2037	 	
Magnesium	ppm	■328	 	
Zinc	ppm	■ 1005	 	
Phosphorus	ppm	■877	 	
Barium	ppm	0	 	
Boron	ppm	■ 137	 	
		_		

MCCOURT & SONS EQUIPMENT INC

5141 HWY 71 W LA GRANGE, TX US 78945 Contact: WAYNE BESEDA wklesel@mccourtandsons.com T: (979)242-5298 F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP1121775Unique No:11029608Signed:Sean FeltonReport Date:16 May 2024

OIL ANALYSIS REPORT



