



OUICK DRAW YANMAR YANMAR - PORT DIESEL ENGINE

Sample No: VPA053360

Oil Type: DIESEL ENGINE OIL SAE 15W40

SAMPLE INFORMAT	TION			
Sample Number		VPA053360	 	
Sample Date		10 Jul 2024	 	
Machine Hours		0	 	
Oil Hours		0	 	
Oil Changed		Changed	 	
Sample Status		NORMAL	 	
OIL CONDITION				
Visc @ 100°C	cSt	13.4	 	
Base Number (BN)	mg KOH/g	10.4	 	
Oxidation (PA)	%	76	 	
CONTAMINATION				
CONTAMINATION				
Water	%	NEG	 	
Soot %	%	■0.1	 	
Nitration (PA)	%	46	 	
Sulfation (PA)	%	58	 	
Glycol	%	NEG	 	
Fuel	%	<1.0	 	
Silicon	ppm	6	 	
Sodium	ppm	1	 	
Potassium	ppm	■ 0	 	
WEAR METALS				
Iron	ppm	2	 	
Copper	ppm	■0	 	
Lead	ppm	0	 	
Tin	ppm	0	 	
Aluminum	ppm	3	 	
Chromium	ppm	■ 0	 	
Molybdenum	ppm	■38	 	
Nickel	ppm	■<1	 	
Titanium	ppm	0	 	
Silver	ppm	0	 	
Manganese	ppm	■ 0	 	
Vanadium	ppm	0	 	
ADDITIVES				
Calcium	ppm	1658	 	
Magnesium	ppm	■ 580	 	
Zinc	ppm	■ 1074	 	
Phosphorus	ppm	■ 884	 	
Barium	ppm	■0	 	
Boron	ppm	■ 52	 	
	PP			

Edward's Marine and Sons

12741 Sunset Ave OCEAN CITY, MD US 21842

Contact: Edward Bartholme

edwards marine@comcast.net; can a stasio@wear check us a.com

T: F:

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP551029Unique No:11116378Signed:Sean FeltonReport Date:12 Jul 2024

OIL ANALYSIS REPORT



