




OIL ANALYSIS REPORT

Sample Rating Trend



DIRT



Machine Id
FORD CROWN VICTORIA

Component
Gasoline Engine

Fluid
{not provided} (5 QTS)

DIAGNOSIS

Recommendation

We recommend that you drain the oil and perform a filter service on this component if not already done. We recommend an early resample to monitor this condition.

Wear

All component wear rates are normal.

Contamination

Elemental level of silicon (Si) above normal indicating ingress of seal material.

Fluid Condition

The oil viscosity appears lower than normal, although there was not a reported oil type.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		WCM2021256	---	---
Sample Date	Client Info		29 Jul 2002	---	---
Machine Age	mls	Client Info	0	---	---
Oil Age	mls	Client Info	4970	---	---
Oil Changed	Client Info		N/A	---	---
Sample Status			SEVERE	---	---













CONTAMINATION

	method	limit/base	current	history1	history2
Fuel	WC Method		<1.0	---	---
Glycol	WC Method		NEG	---	---



OIL ANALYSIS REPORT

GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WCM2021256 **Received** : 29 Jul 2002
Lab Number : 00287546 **Diagnosed** : 31 Jul 2002
Unique Number : 1316031 **Diagnostician** :
Test Package : MOB 2

ANNE ARUNDEL COUNTY
 8435 MAXWELL FRYE RD
 MILLERSVILLE, MD
 US 21108
 Contact: ROB BOEHM
 pwboeh00@aacounty.org
 T: (410)222-8020
 F: (410)222-8026

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)