

# **OIL ANALYSIS REPORT**

Sample Rating Trend

ISO

Machine Id

# 74995 PROMENADE RETURN TENSION

**Hydraulic System** 

PETRO CANADA ENVIRON MV 32 (--- GAL)

#### Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

### Contamination

There is a light amount of silt (particulates < 14 microns in size) present in the oil.

#### Fluid Condition

The condition of the oil is acceptable for the time in service.

)				Mar2023	-	
SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0800985		
Sample Date		Client Info		30 Mar 2023		
Machine Age	hrs	Client Info		17923		
Oil Age	hrs	Client Info		11320		
Oil Changed	1110	Client Info		N/A		
Sample Status				ATTENTION		
CONTAMINATION	V	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)	>20	<1		
Chromium	ppm	ASTM D5185(m)	>20	0		
Nickel	ppm	ASTM D5185(m)	>20	<1		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)	>20	<1		
Lead	ppm	ASTM D5185(m)	>20	0		
Copper	ppm	ASTM D5185(m)	>20	2		
Tin	ppm	ASTM D5185(m)	>20	0		
Antimony	ppm	ASTM D5185(m)		<1		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)	0	<1		
Barium	ppm	ASTM D5185(m)	5	0		
Molybdenum	ppm	ASTM D5185(m)	0	0		
Manganese	ppm	ASTM D5185(m)	0	0		
Magnesium	ppm	ASTM D5185(m)	5	4		
Calcium	ppm	ASTM D5185(m)	5	143		
Phosphorus	ppm	ASTM D5185(m)	650	263		
Zinc	ppm	ASTM D5185(m)	5	323		
Sulfur	ppm	ASTM D5185(m)	1420	773		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>15	0		
Sodium	ppm	ASTM D5185(m)		<1		
Potassium	ppm	ASTM D5185(m)	>20	<1		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	9048		
Particles >6µm		ASTM D7647	>1300	<u>2397</u>		
Particles >14μm		ASTM D7647	>160	<b>195</b>		
Particles >21µm		ASTM D7647	>40	56		
Particles >38μm		ASTM D7647	>10	2		
Particles >71μm		ASTM D7647	>3	1		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	<b>20/18/15</b>		

Contact/Location: Paul Jordan - MOUCOL



## **OIL ANALYSIS REPORT**





CALA ISO 17025:2017 Accredited Laboratory

Laboratory

Sample No. Unique Number : 5554693 Test Package : MOB 2

Lab Number : 02549683

: WC0800985

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 Received : 04 Apr 2023 **Tested** : 05 Apr 2023

> Diagnosed : 05 Apr 2023 - Wes Davis

To discuss this sample report, contact Customer Service at 1-800-268-2131. Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Mount St. Louis Moonstone

R.R. #4,, 24 Mount St. Louis Road Coldwater, ON

CA L0K 1E0 Contact: Paul Jordan snowmaking@mslm.on.ca T:

F: (705)835-2831

Contact/Location: Paul Jordan - MOUCOL