








OIL ANALYSIS REPORT



Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : WC
Lab Number : 02564177
Unique Number : 5593218
Test Package : MOB 2 (Additional Tests: TAN Man)

Received : 14 Jun 2023
Tested : 15 Jun 2023
Diagnosed : 15 Jun 2023 - Bill Quesnel

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.

Envirolin Canada
 520 rue Adanac
 Quebec, QC
 CA G1C 7B7
 Contact: Patrick Levesque
 patrick.levesque@envirolin.com
 T: (418)623-1216
 F: (418)660-8889

FLUID CLEANLINESS	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>2500	● 2781	---	---
Particles >6µm	ASTM D7647	>640	● 884	---	---
Particles >14µm	ASTM D7647	>80	64	---	---
Particles >21µm	ASTM D7647	>20	19	---	---
Particles >38µm	ASTM D7647	>4	5	---	---
Particles >71µm	ASTM D7647	>3	5	---	---
Oil Cleanliness	ISO 4406 (c)	>18/16/13	● 19/17/13	---	---

FLUID DEGRADATION	method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	ASTM D7414*	156.4	---	---
Acid Number (AN)	mg KOH/g	ASTM D974*	0.60	---	---

VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	---	---
Yellow Metal	scalar	Visual*	NONE	---	---
Precipitate	scalar	Visual*	NONE	---	---
Silt	scalar	Visual*	NONE	---	---
Debris	scalar	Visual*	NONE	---	---
Sand/Dirt	scalar	Visual*	NONE	---	---
Appearance	scalar	Visual*	NORML	---	---
Odor	scalar	Visual*	NORML	---	---
Emulsified Water	scalar	Visual*	>0.05	---	---
Free Water	scalar	Visual*	NEG	---	---

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	47.0	---	---
Visc @ 100°C	cSt	ASTM D7279(m)	8.1	---	---
Viscosity Index (VI)	Scale	ASTM D2270*	146	---	---

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color					
Bottom					



MINERAL OIL CONTENT REPORT

PASS




Area
GERMAIN LAPALME ET FILS [02564176]
 Machine Id
KOMATSU PC2006C-8 C78263
 Component
Hydraulic System
 Fluid
PANOLIN HLP SYNTH 46 (232 LTR)


SPECTRAL ANALYSIS

		method	limit/base	current	history1	history2
Zinc	ppm	ASTM D5185(m)	0	1	---	---
Mineral Oil Content	%	ASTM D7418*	<5.0%	<5.0	---	---


FT-IR - Esters I



FT-IR - Esters II



FT-IR Spectrum (Absorbance)



ISO 17025:2017
 Accredited
 Laboratory

Laboratory : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9
Sample No. : WC
Lab Number : 02564177
Unique Number : 5593218
Test Package : MOB 2 (Additional Tests: TAN Man)
Received : 14 Jun 2023
Tested : 15 Jun 2023
Diagnosed : 15 Jun 2023 - Bill Quesnel

To discuss this sample report, contact Customer Service at 1-800-268-2131.
 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.
 Validity of results and interpretation are based on the sample and information as supplied.

EnviroLin Canada

520 rue Adanac
 Quebec, QC
 CA G1C 7B7
 Contact: Patrick Levesque
 patrick.levesque@envirolin.com
 T: (418)623-1216
 F: (418)660-8889

This page left intentionally blank