

OIL ANALYSIS REPORT

Cascades - C13100 **AG186-R**

Component **Hydraulic System**

AW HYDRAULIC OIL ISO 46 (--- GAL)

Sample Rating Trend



Recommendation

This is a baseline read-out on the submitted sample.

Wear

{not applicable}

Contamination

{not applicable}


Fluid Condition

{not applicable}

SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		E30000088		
Sample Date		Client Info		16 Aug 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)	>20	4		
Chromium	ppm	ASTM D5185(m)	>20	0		
Nickel	ppm	ASTM D5185(m)	>20	0		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)	>20	0		
Lead	ppm	ASTM D5185(m)	>20	<1		
Copper	ppm	ASTM D5185(m)	>20	4		
Tin	ppm	ASTM D5185(m)	>20	0		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)	5	<1		
Barium	ppm	ASTM D5185(m)	5	0		
Molybdenum	ppm	ASTM D5185(m)	5	0		
Manganese	ppm	ASTM D5185(m)		0		
Magnesium	ppm	ASTM D5185(m)	25	<1		
Calcium	ppm	ASTM D5185(m)	200	38		
Phosphorus	ppm	ASTM D5185(m)	300	363		
Zinc	ppm	ASTM D5185(m)	370	393		
Sulfur	ppm	ASTM D5185(m)	2500	5056		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon		ASTM D5185(m)	>15	<1	Thistory	HISTOLYZ
Sodium	ppm	ASTM D5185(m)	>13	1		
Potassium	ppm	(/	> 20			
Water	ppm %	ASTM D5185(m) ASTM D6304*	>20	<1 0.005		
ppm Water	ppm	ASTM D6304*	>500	51.6		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	91		
Particles >6µm		ASTM D7647	>1300	35		
Particles >14µm		ASTM D7647	>160	8		
Particles >21µm		ASTM D7647	>40	3		
Particles >38µm		ASTM D7647	>10	0		
Particles >71μm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	14/12/10		



OIL ANALYSIS REPORT



To discuss this sample report, contact Customer Service at 1-800-268-2131.

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

tsorkina@e360s.ca T: (800)263-3939

F: (905)373-4950