

Chem-Ecol

A2310017

OIL ANALYSIS REPORT

Sample Rating Trend







Component Unknown Component Fluid CHEM-ECOL GREENLUBE 68 (--- GAL)

DIAGNOSIS

Recommendation

This is a baseline read-out on the submitted sample.

Wear

{not applicable}


Contamination {not applicable}


SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Batch #		Client Info		2884-A		
Machine ID		Client Info		A2310017		
Department		Client Info		Production		
Sample From		Client Info		Machine		
Production Stage		Client Info		Final		
Sent to WC		Client Info		10/04/2023		
Sample Number		Client Info		E30000479		
Sample Date		Client Info		03 Oct 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)		5		
Chromium	ppm	ASTM D5185(m)		0		
Nickel	ppm	ASTM D5185(m)		<1		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		<1		
Aluminum	ppm	ASTM D5185(m)		<1		
Lead	ppm	ASTM D5185(m)		1		
Copper	ppm	ASTM D5185(m)		7		
Tin	ppm	ASTM D5185(m)		0		
Antimony Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m) ASTM D5185(m)		0		
Cadmium	ppm ppm	ASTM D5185(m)		0		
	ррпі		1'	-		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		<1		
Barium	ppm	ASTM D5185(m)		2		
Molybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m) ASTM D5185(m)		0 161		
Magnesium Calcium	ppm	ASTM D5185(m)		133		
Phosphorus	ppm ppm	ASTM D5185(m)		729		
Zinc	ppm	ASTM D5185(m)		842		
Sulfur	ppm	ASTM D5185(m)		1836		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)		2		
Sodium	ppm	ASTM D5185(m)		6		
Potassium	ppm	ASTM D5185(m)	>20	0		
Water	%	ASTM D6304*	-	0.002		
ppm Water	ppm	ASTM D6304*		18.1		



OIL ANALYSIS REPORT

FLUID CLEANLINESS





Viscosity @ 100°C

1



244

79

8

>5000

ASTM D7647

ASTM D7647 >1300

ASTM D7647 >160

