


OIL ANALYSIS REPORT

Age Plastique - L02000 **PG072-R**

Component

Hydraulic System

CHEM-ECOL PUREPROTECT 46 ZFD (--- GAL)



Recommendation This is a baseline read-out on the submitted

sample. Wear

{not applicable}

Contamination

{not applicable}

Fluid Condition

{not applicable}

IAL)				Oct2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Batch #		Client Info		PG072-R		
Machine ID		Client Info		Sales		
Department		Client Info		Machine		
Sample From		Client Info		Final		
Production Stage		Client Info		10/20/2023		
Sample Number		Client Info		E30000563		
Sample Date		Client Info		19 Oct 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)	>20	4		
Chromium	ppm	ASTM D5185(m)	>20	<1		
Nickel	ppm	ASTM D5185(m)	>20	<1		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		<1		
Aluminum	ppm	ASTM D5185(m)	>20	<1		
Lead	ppm	ASTM D5185(m)	>20	<1		
Copper	ppm	ASTM D5185(m)	>20	2		
Tin	ppm	ASTM D5185(m)	>20	0		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		<1		
Barium	ppm	ASTM D5185(m)		<1		
Molybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m)		0		
Magnesium	ppm	ASTM D5185(m)		2		
Calcium	ppm	ASTM D5185(m)		195		
Phosphorus	ppm	ASTM D5185(m)		173		
Zinc	ppm	ASTM D5185(m)		33		
Sulfur	ppm	ASTM D5185(m)		1090		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>15	<1		
Sodium	ppm	ASTM D5185(m)		6		
Potassium	ppm	ASTM D5185(m)	>20	0		
Water	%	ASTM D6304*	>0.05	0.005		
		10T115	=06			

ASTM D6304* >500


ppm

58.2

ppm Water



OIL ANALYSIS REPORT





CALA ISO 17025:2017 Accredited

Laboratory

Laboratory Sample No. Lab Number **Unique Number**

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 : E30000563

: 02591005 : 5668084

Received : 23 Oct 2023 Diagnosed : 25 Oct 2023 Diagnostician : Tatiana Sorkina

Test Package : IND 2 (Additional Tests: KF, KV100, VI) To discuss this sample report, contact Customer Service at 1-905-372-2251.

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Environmental 360 Solutions Ltd.

640 Victoria Street Cobourg, ON **CA K9A 5H5**

Contact: Fred Kosseim fkosseim@e360s.ca T: (905)372-2251 F: (905)372-1658

Contact/Location: Fred Kosseim - CHECOB