

OIL ANALYSIS REPORT

Infasco - I02400 A2310129

Component

Unknown Component

NOT GIVEN (--- GAL)

Sample Rating Trend



Recommendation

This is a baseline read-out on the submitted sample.

Wear

Copper and iron ppm levels are noted.

Contamination

{not applicable}


Fluid Condition

{not applicable}

				Oct2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Batch #		Client Info		2023 09 0571		
Machine ID		Client Info		A2310129		
Department		Client Info		Production		
Sample From		Client Info		Machine		
Production Stage		Client Info		Final		
Sent to WC		Client Info		10/20/2023		
Sample Number		Client Info		E30000581		
Sample Date		Client Info		20 Oct 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
ron	ppm	ASTM D5185(m)		30		
Chromium	ppm	ASTM D5185(m)		0		
Nickel	ppm	ASTM D5185(m)		6		
Fitanium		ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		<1		
Muminum	ppm	. ,				
	ppm	ASTM D5185(m)		<1		
Lead	ppm	ASTM D5185(m)		6		
Copper 	ppm	ASTM D5185(m)		191		
Γin • · ·	ppm	ASTM D5185(m)		0		
Antimony	ppm	ASTM D5185(m)		0		
/anadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		3		
Barium	ppm	ASTM D5185(m)		0		
Nolybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m)		<1		
/lagnesium	ppm	ACTM DE10E(m)				
viagricolarii	ppiii	ASTM D5185(m)		58		
	ppm	ASTM D5185(III) ASTM D5185(m)		58 390		
Calcium		. ,				
Calcium Phosphorus	ppm	ASTM D5185(m)		390		
Calcium Phosphorus Zinc	ppm ppm	ASTM D5185(m) ASTM D5185(m)		390 423		
Calcium Phosphorus Zinc Sulfur	ppm ppm	ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)		390 423 405		
Calcium Phosphorus Zinc Sulfur	ppm ppm ppm ppm	ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)	limit/base	390 423 405 3317		
Calcium Phosphorus Zinc Sulfur Lithium CONTAMINANTS	ppm ppm ppm ppm	ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)	limit/base	390 423 405 3317 <1		
Calcium Phosphorus Zinc Sulfur Lithium CONTAMINANTS	ppm ppm ppm ppm ppm	ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) MSTM D5185(m) Method ASTM D5185(m)	limit/base	390 423 405 3317 <1 current	 history1	 history2
Calcium Phosphorus Zinc Sulfur Lithium CONTAMINANTS Silicon Godium	ppm ppm ppm ppm ppm	ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)		390 423 405 3317 <1	 history1	 history2
Calcium Phosphorus Zinc Sulfur Lithium	ppm ppm ppm ppm ppm	ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) ASTM D5185(m) METHOD ASTM D5185(m) ASTM D5185(m) ASTM D5185(m)	limit/base	390 423 405 3317 <1 current 2 13	 history1	history2



OIL ANALYSIS REPORT





CALA ISO 17025:2017 Accredited

Laboratory Sample No. Lab Number **Unique Number**

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9

: E30000581 : 02591177 : 5668256

Received : 23 Oct 2023 Diagnosed Diagnostician : Tatiana Sorkina

: 25 Oct 2023

Test Package : IND 2 (Additional Tests: KF, KV100, PrtCount, VI) To discuss this sample report, contact Customer Service at 1-905-372-2251.

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Environmental 360 Solutions Ltd. 640 Victoria Street Cobourg, ON

Contact/Location: Pierre Guillet - CHECOB

CA K9A 5H5 Contact: Pierre Guillet

pguillet@e360s.ca T:

F: (905)373-4950