

FUEL REPORT

Sample Rating Trend







Fluid JET FUEL Type A (--- GAL)

DIAGNOSIS

Machine I

Component Left Jet Fuel

Recommendation

Laboratory test indicate that this fuel is suitable for use and meets all test requirements. Resample at the next service interval to monitor.

[C-FMXA] BOEING 737 MAX C-FMXA

Wear

{not applicable}

Contamination

There is no bacteria or fungus (yeast and/or mold) present in the sample. The water content is negligible. The fuel phase was tested for microbes, as there was no separate water phase present in the sample. The MicrobMonitor2 test kit was used to test for microbiological contamination in the sample. There is no indication of any contamination in the jet fuel.


Fluid Condition


All laboratory tests indicate that this sample appears to be Jet Fuel Type A.


SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0872244		
Sample Date		Client Info		08 Jan 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
PHYSICAL PROP	ERTIES	method	limit/base	current	history1	history2
Specific Gravity		ASTM D1298*		0.810		
Fuel Color	text	Visual Screen*		Clear		
Visc @ 40°C	cSt	ASTM D7279(m)	<8.0	1.4		
Pensky-Martens Flash Point	°C	ASTM D7215*	38	51.6		
Pour Point	°C	ASTM D97*	-45	-60		
SULFUR CONTER	NT	method	limit/base	current	history1	history2
Sulfur	ppm	ASTM D5185(m)	<3000	874		
DISTILLATION		method	limit/base	current	history1	history2
Initial Boiling Point	°C	ASTM D2887*		159		
5% Distillation Point	°C	ASTM D2887*		175		
10% Distill Point	°C	ASTM D2887*	205	178		
15% Distillation Point	°C	ASTM D2887*		182		
20% Distill Point	°C	ASTM D2887*		186		
30% Distill Point	°C	ASTM D2887*		192		
40% Distill Point	°C	ASTM D2887*		200		
50% Distill Point	°C	ASTM D2887*		207		
60% Distill Point	°C	ASTM D2887*		215		
70% Distill Point	°C	ASTM D2887*		224		
80% Distill Point	°C	ASTM D2887*		235		
85% Distillation Point	°C	ASTM D2887*		244		
90% Distill Point	°C	ASTM D2887*		253		
95% Distillation Point	°C	ASTM D2887*		269		
Final Boiling Point	°C	ASTM D2887*	300	295		
IGNITION QUALIT	ΓY	method	limit/base	current	history1	history2
API Gravity		ASTM D1298*	44	43		
Cetane Index		ASTM D4737*	<40.0	45		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	<1.0	0		
Sodium	ppm	ASTM D5185(m)	<0.1	<1		
Potassium	ppm	ASTM D5185(m)	<0.1	0		
Water	%	ASTM D6304*	<0.05	0.003		
ppm Water	ppm	ASTM D6304*	<500	32		
MICROBIAL		method	limit/base	current	history1	history2
Microbes	CFU/L	ASTM D6469*	>=100000	0		



FUEL REPORT







	;	method	limit/base	current	history1	history2
Aluminum	ppm	ASTM D5185(m)	<0.1	0		
Nickel	ppm	ASTM D5185(m)	<0.1	0		
Lead	ppm	ASTM D5185(m)	<0.1	0		
Vanadium	ppm	ASTM D5185(m)	<0.1	0		
Iron	ppm	ASTM D5185(m)	<0.1	0		
Calcium	ppm	ASTM D5185(m)	<0.1	0		
Magnesium	ppm	ASTM D5185(m)	<0.1	0		
Phosphorus	ppm	ASTM D5185(m)	<0.1	<1		
Zinc	ppm	ASTM D5185(m)	<0.1	0		
SAMPLE IMAGE	S	method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image
GRAPHS						
Fuel Distillation C	urve			Pensky-Marte	ns Flash Point (°C)
Sample			65	T :		
Baseline			60			
			() (
			ပ္ မီ 55			
3 -			n the second sec			
3 -			temperature 50			
2			anges transformer	Rapa		
2 - 2 - 2 - 2 -			temperature 50	Base		
2 - 2 - 2 - 2 - 2 -			anges transformer	Base		
2			anges transformer	Base		
2			anges transformer	Base हिं		
3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -			40	Base GCD Spectrur	n	
2			40 28,000	GCD Spectrur		
2			28,000 24,000	GCD Spectrur		
3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -			28,000 24,000 22,000	GCD Spectrur		
			28,000 22,000 20,000	GCD Spectrur		
			28,000 22,000 20,000 18,000	GCD Spectrur		
			28,000 22,000 20,000 18,000	GCD Spectrur		
			28,000 22,000 20,000 18,000	GCD Spectrur		
			28,000 22,000 20,000	GCD Spectrur		
			28,000 22,000 20,000 18,000	GCD Spectrur		
			28,000 26,000 22,000 20,000 18,000 14,000 20,000 18,000 20,000 18,000 11,000 20,000 12,0000 12,0000 12,000 12,000 12,000 12,000 12,000 12,000 12,0000	GCD Spectrur		
			28,000 26,000 24,000 22,000 18,000 18,000 21,000 11,000	GCD Spectrur		
			28,000 26,000 24,000 20,000 18,000 € 16,000 10,000 8,000 6,000	GCD Spectrur		
			45 40 28,000 26,000 24,000 22,000 18,000 18,000 11,000 80,000 6,000 4,000	GCD Spectrur		
			45 40 28,000 26,000 24,000 22,000 18,000 18,000 12,000 18,000 10,000 8,000 6,000 4,000 2,000	GCD Spectrur		
		00% 00%	topological action of the second sec	GCD Spectrur		