

PROBLEM SUMMARY

Caster/Segment Drives Machine Id B - Strand 2 - 1 Gear Box Roll # 80 Bottom

Gearbox Fluid SHELL OMALA 220 (45 GAL)

COMPONENT CONDITION SUMMARY



No relevant graphs to display

RECOMMENDATION

Technician was unable to draw sample from the machine. Suspect the unit has a very low oil level. We recommend that you check the oil level and top up as required.

PROBLEMATIC TEST RESULTS							
Sample Status				SEVERE	SEVERE	NORMAL	
Appearance	scalar	Visual*	NORML	NOOIL	NOOIL	NORML	

Customer Id: LEWBOSC Sample No.: WC0898684 Lab Number: 02608071 Test Package: IND 2



To manage this report scan the QR code

To discuss the diagnosis or test data: Kevin Marson +1 (289)291-4644 x4644 Kevin.Marson@wearcheck.com

To change component or sample information: Gloria Gonzalez +1 (289)291-4643 x4643 <u>gloria.gonzalez@wearcheck.com</u> There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS

30 May 2023 Diag: Bill Quesnel



This is a baseline read-out on the submitted sample. *** NOTE: There was not enough oil in the system to take a sample! Check the lube oil reservoir. ***{not applicable} {not applicable} {not applicable}



13 Sep 2022 Diag: Kevin Marson

25 Feb 2020 Diag: Kevin Marson



 \checkmark

1 3

Resample at the next service interval to monitor.All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



NORMAL



Resample at the next service interval to monitor.All component wear rates are normal. The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The water content is negligible. The system and fluid cleanliness is acceptable. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service. NOTE: The color of the oil is darker then previous samples.





OIL ANALYSIS REPORT

Area Caster/Segment Drives Machine Id B - Strand 2 - 1 Gear Box Roll # 80 Bottom

Gearbox

Fluid SHELL OMALA 220 (45 GAL)

DIAGNOSIS

Recommendation

Technician was unable to draw sample from the machine. Suspect the unit has a very low oil level. We recommend that you check the oil level and top up as required.


Wear

{not applicable}

Contamination
{not applicable}

Fluid Condition

{not applicable}





Sample Rating Trend

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0898684	WC	WC0743627
Sample Date		Client Info		10 Jan 2024	30 May 2023	13 Sep 2022
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				SEVERE	SEVERE	NORMAL
CONTAMINATION	N	method	limit/base	current	history1	history2
Water		WC Method	>5	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
PQ		ASTM D8184*	>DFLT			0
Iron	ppm	ASTM D5185(m)	>200			12
Chromium	ppm	ASTM D5185(m)	>15			0
Nickel	ppm	ASTM D5185(m)	>15			<1
Titanium	ppm	ASTM D5185(m)				0
Silver	ppm	ASTM D5185(m)				0
Aluminum	ppm	ASTM D5185(m)	>25			0
Lead	ppm	ASTM D5185(m)	>100			0
Copper	ppm	ASTM D5185(m)	>200			0
Tin	ppm	ASTM D5185(m)	>25			0
Antimony	ppm	ASTM D5185(m)	>5			<1
Vanadium	ppm	ASTM D5185(m)				0
Beryllium	ppm	ASTM D5185(m)				0
Cadmium	ppm	ASTM D5185(m)				0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)	4.4			10
Barium	ppm	ASTM D5185(m)	0.0			0
Molybdenum	ppm	ASTM D5185(m)	0			0
Manganese	ppm	ASTM D5185(m)				<1
Magnesium	ppm	ASTM D5185(m)	0			<1
Calcium	ppm	ASTM D5185(m)	0			1
Phosphorus	ppm	ASTM D5185(m)	215			324
Zinc	ppm	ASTM D5185(m)	0			1
Sulfur	ppm	ASTM D5185(m)	7039			9361
Lithium	ppm	ASTM D5185(m)				<1
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>50			2
Sodium	ppm	ASTM D5185(m)				<1
Potassium	ppm	ASTM D5185(m)	>20			0



OIL ANALYSIS REPORT





FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
		ASTM D7647	him base		1113101 y 1	51066
Particles >4µm Particles >6µm		ASTM D7647 ASTM D7647	>10240000			10220
Particles >0µm		ASTM D7647 ASTM D7647	>10240000			500
Particles >21µm		ASTM D7647 ASTM D7647	>2560000			118
Particles >38µm		ASTM D7647 ASTM D7647	>640000			2
Particles >71µm		ASTM D7647	>160000			0
Oil Cleanliness		ISO 4406 (c)	>/30/30			23/21/16
		()				
FLUID DEGRADA	ATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D974*				0.48
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	NONE
Precipitate	scalar	Visual*	NONE	NONE	NONE	NONE
Silt	scalar	Visual*	NONE	NONE	NONE	NONE
Debris	scalar	Visual*	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	Visual*	NONE	NONE	NONE	NONE
Appearance	scalar	Visual*	NORML	NOOIL	NOOIL	NORML
Odor	scalar	Visual*	NORML	NORML	NORML	NORML
Emulsified Water	scalar	Visual*	>5	NEG		NEG
Free Water	scalar	Visual*		NEG		NEG
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	220			250
SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Color						
Bottom						

