

Chem-Ecol

A2401067

OIL ANALYSIS REPORT

Sample Rating Trend







Component Cutting Fluid Fluid CHEM-ECOL CHEMKUT 10 (--- GAL)

DIAGNOSIS

Recommendation

This is a baseline read-out on the submitted sample.

Wear

{not applicable}


Contamination {not applicable}


Fluid Condition {not applicable}


SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Batch #		Client Info		2976-A		
Department		Client Info		Production		
Sample From		Client Info		Machine		
Production Stage		Client Info		Final		
Sent to WC		Client Info		01/12/2024		
Sample Number		Client Info		E30001141		
Sample Date		Client Info		12 Jan 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)		2		
Chromium	ppm	ASTM D5185(m)		0		
Nickel	ppm	ASTM D5185(m)		0		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)		2		
Lead	ppm	ASTM D5185(m)		0		
Copper	ppm	ASTM D5185(m)		<1		
Tin	ppm	ASTM D5185(m)		<1		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		0		
Barium	ppm	ASTM D5185(m)		0		
Molybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m)		0		
Magnesium	ppm	ASTM D5185(m)		2		
Calcium	ppm	ASTM D5185(m)		3415		
Phosphorus	ppm	ASTM D5185(m)		3		
Zinc	ppm	ASTM D5185(m)		4		
Sulfur	ppm	ASTM D5185(m)		13406		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)		<1		
Sodium	ppm	ASTM D5185(m)		<1		
Potassium	ppm	ASTM D5185(m)	>20	3		
Water	%	ASTM D6304*		0.008		
ppm Water	ppm	ASTM D6304*		86		



OIL ANALYSIS REPORT







	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>10000	331		
Particles >6µm		ASTM D7647	>2500	119		
Particles >14µm		ASTM D7647	>320	21		
Particles >21µm		ASTM D7647		5		
Particles >38µm		ASTM D7647	>20	1		
Particles >71µm		ASTM D7647		0		
Oil Cleanliness		ISO 4406 (c)	>20/18/15	16/14/12		
FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D974*		0.14		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	NONE		
Debris	scalar	Visual*	NONE	NONE		
Sand/Dirt	scalar	Visual*	NONE	NONE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
Emulsified Water	scalar scalar	Visual*	NORML	NEG		
Emulsified Water			NORML	-		
Emulsified Water	scalar scalar	Visual*	NORML limit/base	NEG		
Emulsified Water Free Water FLUID PROPERT	scalar scalar	Visual* Visual*		NEG NEG		
Emulsified Water Free Water FLUID PROPERT Visc @ 40°C Visc @ 100°C	scalar scalar IES	Visual* Visual* method	limit/base	NEG NEG current	 history1	 history2
Emulsified Water Free Water FLUID PROPERT Visc @ 40°C Visc @ 100°C	scalar scalar TES cSt	Visual* Visual* method ASTM D7279(m)	limit/base	NEG NEG current 11.5	 history1	 history2
Emulsified Water Free Water FLUID PROPERT Visc @ 40°C Visc @ 100°C	scalar scalar IES cSt cSt Scale	Visual* Visual* method ASTM D7279(m) ASTM D7279(m)	limit/base	NEG NEG current 11.5 3.1	 history1 	 history2
Emulsified Water Free Water FLUID PROPERT Visc @ 40°C Visc @ 100°C Viscosity Index (VI) SAMPLE IMAGES	scalar scalar IES cSt cSt Scale	Visual* Visual* method ASTM D7279(m) ASTM D7279(m) ASTM D2270*	limit/base 10	NEG NEG current 11.5 3.1 134	 history1 history1	history2 history2
Emulsified Water Free Water FLUID PROPERT Visc @ 40°C Visc @ 100°C Viscosity Index (VI) SAMPLE IMAGES	scalar scalar IES cSt cSt Scale	Visual* Visual* method ASTM D7279(m) ASTM D7279(m) ASTM D2270*	limit/base 10	NEG NEG current 11.5 3.1 134	 history1 	 history2
Visc @ 40°C Visc @ 100°C Viscosity Index (VI)	scalar scalar IES cSt cSt Scale	Visual* Visual* method ASTM D7279(m) ASTM D7279(m) ASTM D2270*	limit/base 10	NEG NEG current 11.5 3.1 134	 history1 history1	 history2 history2

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 Environmental 360 Solutions Ltd. : E30001141 Recieved : 17 Jan 2024 640 Victoria Street : 18 Jan 2024 : 02609322 Diagnosed Cobourg, ON ISO 17025:2017 Accredited Laboratory Unique Number : 5710408 Diagnostician : Tatiana Sorkina CA K9A 5H5 Test Package : IND 2 (Additional Tests: KV100, PrtCount, TAN Man, VI) Contact: Tatiana Sorkina To discuss this sample report, contact Customer Service at 1-905-372-2251. tsorkina@e360s.ca T: (800)263-3939 Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied. F: (905)373-4950