

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

Machine Id

COMPETITIVE-CVT PD-032724-1

Component Unknown Component Fluid

{not provided} (--- GAL)

DIAGNOSIS


Recommendation

This is a baseline read-out on the submitted sample.

SAMPLE INFORMA	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PP		
Sample Date		Client Info		31 Mar 2024		
	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATION		method	limit/base	current	history1	history2
Water		WC Method	iiiiii/base	NEG		
WEAR METALS		method	limit/base	current	history1	history2
lron s	ppm	ASTM D5185(m)		0		
- 1	ppm	ASTM D5185(m)		0		
	ppm	ASTM D5185(m)		0		
1	ppm	ASTM D5185(m)		0		
		ASTM D5185(m)		0		
	ppm ppm	ASTM D5185(m)		0		
		ASTM D5185(m)		-		
	ppm	ASTM D5185(m) ASTM D5185(m)		0		
	ppm	()		-		
	ppm	ASTM D5185(m)		0		
	ppm	ASTM D5185(m)		0		
P	ppm	ASTM D5185(m)		0		
	ppm	ASTM D5185(m)		0		
Cadmium p	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron ß	ppm	ASTM D5185(m)		69		
Barium p	ppm	ASTM D5185(m)		0		
Molybdenum p	ppm	ASTM D5185(m)		0		
Manganese p	ppm	ASTM D5185(m)		0		
Magnesium p	ppm	ASTM D5185(m)		1		
Calcium p	ppm	ASTM D5185(m)		122		
Phosphorus p	ppm	ASTM D5185(m)		187		
Zinc p	ppm	ASTM D5185(m)		7		
Sulfur p	ppm	ASTM D5185(m)		936		
Lithium p	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon p	ppm	ASTM D5185(m)		2		
	ppm	ASTM D5185(m)		<1		
	ppm	ASTM D5185(m)	>20	<1		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
	scalar	Visual*	NONE	NONE		
	scalar	Visual*	NONE	NONE		
	scalar	Visual*	NONE	NONE		
	scalar	Visual*	NONE	NONE		
	scalar	Visual*	NORML	NORML		
	scalar	Visual*	NORML		IDI LEINGARTI	NER_FORHAM
- ·						Page 1 of



OIL ANALYSIS REPORT



FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)		29.3		
Visc @ 100°C	cSt	ASTM D7279(m)		5.9		
Viscosity Index (VI)	Scale	ASTM D2270*		150		
Pour Point	°C	ASTM D97*		-48		
COC Flash Point	°C	ASTM D92*		223		
SAMPLE IMAGES	3	method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image
GRAPHS						

		Laboratory	: WearCheck - C8-11	FORSYTHE LUBRICATION				
		Sample No.	: PP	Received	: 01 Apr 2024	120 CHATHAM ST.		
	ISO 17025:2017 Accredited Laboratory	Lab Number	: 02625869	Tested	: 08 Apr 2024	HAMILTON, ON		
		Unique Number	: 5759001	Diagnosed	: 08 Apr 2024 - Kevin Marson	CA L8P 2B5		
		Test Package	: TEST (Additional Te	ests: COC Flash, I	CP, KV100, KV40, PourPt, V	(I) Contact: HEIDI LEINGARTNER		
	To discuss this sample report, contact Customer Service at 1-800-268-2131. Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. T: (905)525-71							
LEI-MARY CONTAIN	Validity of resu	ilts and interpre	F: (905)525-7024					

Report Id: FORHAM [WCAMIS] 02625869 (Generated: 04/08/2024 07:58:04) Rev: 1

Contact/Location: HEIDI LEINGARTNER - FORHAM