


OIL ANALYSIS REPORT

National Rubber - N00600 A2406058

Hydraulic System

AW HYDRAULIC OIL ISO 46 (--- GAL)



Wear

Iron ppm levels are noted.


Contamination

Silicon ppm levels are notably high.

				Jun2024		
SAMPLE INFORM	MATION					
Batch #		Client Info		2024 05 1030		
Machine ID		Client Info		CT# 39		
Department		Client Info		Production		
Sample From		Client Info		Machine		
Production Stage		Client Info		Initial		
Sent to WC		Client Info		06/07/2024		
Sample Number		Client Info		E30002343		
Sample Date		Client Info		07 Jun 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ATTENTION		
CONTAMINATION	N.	method	limit/base	current	history1	history2
	•				History	mstoryz
Water		WC Method	>0.05	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)	>20	22		
Chromium	ppm	ASTM D5185(m)	>10	0		
Nickel	ppm	ASTM D5185(m)	>10	<1		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)	>10	1		
Lead	ppm	ASTM D5185(m)	>20	<1		
Copper	ppm	ASTM D5185(m)	>20	11		
Tin	ppm	ASTM D5185(m)	>10	0		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	nnm	ASTM D5185(m)	5	<1		
Barium	ppm	ASTM D5185(m)	5	1		
Molybdenum	ppm	ASTM D5185(m)	5	0		
Manganese		ASTM D5185(m)	3	<1		
Magnesium	ppm	ASTM D5185(m)	25	27		
Calcium	ppm ppm	ASTM D5185(m)	200	50		
Phosphorus	ppm	ASTM D5185(m)	300	425		
Zinc		ASTM D5185(m)	370	425		
Sulfur	ppm	ASTM D5185(m)	2500	1341		
Lithium	ppm	ASTM D5185(III) ASTM D5185(m)	2300	<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>15	<u> </u>		
Sodium	ppm	ASTM D5185(m)		1		
Potassium	ppm	ASTM D5185(m)	>20	<1		



OIL ANALYSIS REPORT



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	NONE		
Debris	scalar	Visual*	NONE	NONE		
Sand/Dirt	scalar	Visual*	NONE	VLITE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
SAMPLE IMAGES	3	method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image



CALA ISO 17025:2017 Accredited Laboratory

Laboratory Lab Number : 02641294

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 **Sample No.** : E30002343

Unique Number : 5798833

Test Package : TEST (Additional Tests: ICP)

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab.

To discuss this sample report, contact Customer Service at 1-905-372-2251.

Received Tested Diagnosed

: 11 Jun 2024 : 12 Jun 2024

: 13 Jun 2024 - Tatiana Sorkina

CA K9A 5H5 Contact: Tatiana Sorkina tsorkina@e360s.ca T: (800)263-3939

640 Victoria Street

Cobourg, ON

F: (905)373-4950

Contact/Location: Tatiana Sorkina - CHECOB

Environmental 360 Solutions Ltd.

Validity of results and interpretation are based on the sample and information as supplied. Report Id: CHECOB [WCAMIS] 02641294 (Generated: 06/13/2024 09:39:07) Rev: 1