

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

Area Hydro Quebec - H03000 A2406085

Unknown Component Fluid TOTAL TURBOSPEC 925 HQ (--- GAL)


DIAGNOSIS


Recommendation We certify this oil to be clean and dry.

SAMPLE INFORM	/ATIO <u>N</u>	method	limit/base	current	history1	history2
Batch #		Client Info		2024 05 0860		
Department		Client Info		Production		
Sample From		Client Info		Machine		
Production Stage		Client Info		Final		
Sent to WC		Client Info		06/12/2024		
Sample Number		Client Info		E30002382		
Sample Date		Client Info		11 Jun 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)		0		
Chromium	ppm	ASTM D5185(m)		0		
Nickel	ppm	ASTM D5185(m)		0		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)		0		
Lead	ppm	ASTM D5185(m)		5		
Copper Tin	ppm	ASTM D5185(m) ASTM D5185(m)		1 0		
Antimony	ppm ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)	0	<1		
Barium	ppm	ASTM D5185(m)	0	0		
Molybdenum	ppm	ASTM D5185(m)	0	0		
Manganese	ppm	ASTM D5185(m)	0	0		
Magnesium	ppm	ASTM D5185(m)	0	2		
Calcium	ppm	ASTM D5185(m)		7		
Phosphorus	ppm	ASTM D5185(m)	10	27		
Zinc	ppm	ASTM D5185(m)	0	7		
Sulfur	ppm	ASTM D5185(m)	1000	1609		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS	3	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)		1		
Sodium	ppm	ASTM D5185(m)		<1		
Potassium	ppm	ASTM D5185(m)	>20	0		
Water	%	ASTM D6304*		0.001		
ppm Water	ppm	ASTM D6304*		2		




OIL ANALYSIS REPORT






Ab



FLUID CLEANLIN	IESS	method	limit/base	current	history1	histor
Particles >4µm		ASTM D7647	>5000	249		
Particles >6µm		ASTM D7647	>640	60		
Particles >14µm		ASTM D7647	>160	5		
Particles >21µm		ASTM D7647	>40	1		
Particles >38µm		ASTM D7647	>10	1		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/16/14	15/13/10		
FLUID DEGRADA	ATION	method	limit/base	current	history1	histor
Acid Number (AN)	mg KOH/g	ASTM D974*	0.1	0.04		
VISUAL		method	limit/base	current	history1	histor
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	NONE		
Debris	scalar	Visual*	NONE	NONE		
Sand/Dirt	scalar	Visual*	NONE	NONE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
Emulsified Water	scalar	Visual*		NEG		
Free Water	scalar	Visual*		NEG		
FLUID PROPERT	TIES	method	limit/base	current	history1	histor
Visc @ 40°C	cSt	ASTM D7279(m)	52.5	50.8		
Visc @ 100°C	cSt	ASTM D7279(m)	7.25	7.2		
Viscosity Index (VI)	Scale	ASTM D2270*	96	99		
SAMPLE IMAGES		method	limit/base	current	history1	histor
Color					no image	no imag





Report Id: CHECOB [WCAMIS] 02642011 (Generated: 06/17/2024 15:21:37) Rev: 1

Contact/Location: Tatiana Sorkina - CHECOB Page 2 of 2

no image

no image