

OIL ANALYSIS REPORT

Sample Rating Trend



VISUAL METAL



Leland Ind - L03100 A2406183

Cutting Fluid

{not provided} (--- GAL)


DIAGNOSIS


▲ Wear Iron ppm levels are noted. Fluid Condition Sodium ppm levels are notably high.

SAMPLE INFORM	MOITAN	method	limit/base	current	history1	history2
Batch #		Client Info		2024 06 0800		
Department		Client Info		Production		
Sample From		Client Info		Machine		
Production Stage		Client Info		Initial		
Sent to WC		Client Info		06/28/2024		
Sample Number		Client Info		E30002533		
Sample Date		Client Info		28 Jun 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				SEVERE		
CONTAMINATION	J	method	limit/base	current	history1	history2
Water		WC Method		NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)		7 3		
Chromium	ppm	ASTM D5185(m)		<1		
Nickel	ppm	ASTM D5185(m)		4		
Titanium	ppm	ASTM D5185(m)		<1		
Silver	ppm	ASTM D5185(m)		0		
Aluminum	ppm	ASTM D5185(m)		3		
Lead	ppm	ASTM D5185(m)		0		
Copper	ppm	ASTM D5185(m)		6		
Tin	ppm	ASTM D5185(m)		0		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5185(m)		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		7		
Barium	ppm	ASTM D5185(m)		0		
Molybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m)		1		
Magnesium	ppm	ASTM D5185(m)		3		
Calcium	ppm	ASTM D5185(m)		40		
Phosphorus	ppm	ASTM D5185(m)		201		
Zinc	ppm	ASTM D5185(m)		264		
Sulfur	ppm	ASTM D5185(m)		3028		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)		7		
Sodium	ppm	ASTM D5185(m)		<u>22</u>		
Potassium	ppm	ASTM D5185(m)	>20	5		



OIL ANALYSIS REPORT





VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	▲ MODER		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	VLITE		
Debris	scalar	Visual*	NONE	NONE		
Sand/Dirt	scalar	Visual*	NONE	NONE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
SAMPLE IMAGES		method	limit/hase	current	history1	history2

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color				no image	no image
Bottom				no image	no image
GRAPHS					



CALA ISO 17025:2017 Accredited Laboratory

Laboratory

Sample No. : E30002533 Lab Number : 02645676 Unique Number : 5803215

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9

Received : 04 Jul 2024 Tested Diagnosed

: 04 Jul 2024

: 05 Jul 2024 - Aylwin Lee

CA K9A 5H5 Contact: Tatiana Sorkina tsorkina@e360s.ca T: (800)263-3939

Environmental 360 Solutions Ltd.

F: (905)373-4950

640 Victoria Street

Cobourg, ON

Test Package : TEST (Additional Tests: ICP) To discuss this sample report, contact Customer Service at 1-905-372-2251.

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.