




PROBLEM SUMMARY

Area
Bear Creek
 Machine Id
BCR-04
 Component
Hydraulic System
 Fluid
AW HYDRAULIC OIL ISO 32 (--- GAL)

Sample Rating Trend



ADDITIVES



COMPONENT CONDITION SUMMARY

No relevant graphs to display

RECOMMENDATION

PROBLEMATIC TEST RESULTS

Sample Status				ABNORMAL	---	---
Sulfur	ppm	ASTM D5185m	2500	▲ 6705	---	---

Customer Id: WEACAR
 Sample No.: WC05152188
 Lab Number: 05152188
 Test Package: IND 2



To manage this report scan the QR code

To discuss the diagnosis or test data:
 System Automation +1 905-569-8600 x230
Kevin.Marson@wearcheck.com

To change component or sample information:
 Customer Service +1 1-800-237-1369
customerservice@wearcheck.com

RECOMMENDED ACTIONS


There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Rating Trend



ADDITIVES



Area
Bear Creek
 Machine Id
BCR-04

Component
Hydraulic System
 Fluid

AW HYDRAULIC OIL ISO 32 (--- GAL)

DIAGNOSIS

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			WC05152188	---	---
Sample Date	Client Info			04 Sep 2020	---	---
Machine Age	hrs	Client Info		0	---	---
Oil Age	hrs	Client Info		0	---	---
Oil Changed	Client Info			N/A	---	---
Sample Status				ABNORMAL	---	---

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	6	---	---
Chromium	ppm	ASTM D5185m	>20	2	---	---
Nickel	ppm	ASTM D5185m	>20	0	---	---
Titanium	ppm	ASTM D5185m		0	---	---
Silver	ppm	ASTM D5185m		<1	---	---
Aluminum	ppm	ASTM D5185m	>20	0	---	---
Lead	ppm	ASTM D5185m	>20	<1	---	---
Copper	ppm	ASTM D5185m	>20	<1	---	---
Tin	ppm	ASTM D5185m	>20	0	---	---
Antimony	ppm	ASTM D5185m		0	---	---
Vanadium	ppm	ASTM D5185m		0	---	---
Cadmium	ppm	ASTM D5185m		0	---	---



ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	5	<1	---	---
Barium	ppm	ASTM D5185m	5	0	---	---
Molybdenum	ppm	ASTM D5185m	5	<1	---	---
Manganese	ppm	ASTM D5185m		<1	---	---
Magnesium	ppm	ASTM D5185m	25	13	---	---
Calcium	ppm	ASTM D5185m	200	44	---	---
Phosphorus	ppm	ASTM D5185m	300	248	---	---
Zinc	ppm	ASTM D5185m	370	288	---	---
Sulfur	ppm	ASTM D5185m	2500	▲ 6705	---	---

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	1	---	---
Sodium	ppm	ASTM D5185m		0	---	---
Potassium	ppm	ASTM D5185m	>20	0	---	---

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	---	---
Yellow Metal	scalar	*Visual	NONE	NONE	---	---
Precipitate	scalar	*Visual	NONE	NONE	---	---
Silt	scalar	*Visual	NONE	NONE	---	---
Debris	scalar	*Visual	NONE	NONE	---	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---	---
Appearance	scalar	*Visual	NORML	NORML	---	---
Odor	scalar	*Visual	NORML	NORML	---	---
Emulsified Water	scalar	*Visual	>0.05	NEG	---	---
Free Water	scalar	*Visual		NEG	---	---



OIL ANALYSIS REPORT







FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445 32	32.3	---	---

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------

Color				no image	no image
Bottom				no image	no image

GRAPHS



Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WC05152188 **Received** : 08 Jan 2021
Lab Number : 05152188 **Diagnosed** : 02 Oct 2023
Unique Number : 9312468 **Diagnostician** : System
Test Package : IND 2 (Additional Tests: KF)

WEARCHECK USA
 501 Madison Ave
 Cary, NC
 US 27513
 Contact: CATHERINE ANASTASIO
 CANASTASIO@WEARCHECKUSA.COM
 T:
 F: (919)379-4050

To discuss this sample report, contact Customer Service at 1-800-237-1369.
 * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)